

WORKSHOP CATALOGUE

Valid 1st July to November 30th 2019. All prices quoted include GST.

Hand Tools | PAGE 2

Workshop Equipment | PAGE 4

Engineering Equipment | PAGE 6

Air Tools | PAGE 11

Air Tool Accessories | PAGE 16

TWO in ONE Riveting Tools

New!

- The new range that sets both rivets & nutserts with one tool!



**2-in-1
RIVETS/NUTSERTS**



See Full Range on page 3.

4" Extended HD Cut-Off Grinder

New!

- 90° adjustable swivel guard with detented quick release lever
- Ultra compact 39 mm head with extended reach, is ideal for hard to access spaces

- Ideal for cutting exhaust pipes, body panels



Free Speed: 14,000 RPM
Length: 345mm
Output: 745 Watt
Weight: 1.40 kg

**Swivel
Guard!**



See full range on page 11.

\$379
PN: KP4413

1/2" Gearless Angle Impact Wrench

New!

**Compact & SUPER
POWERFUL!**



70 mm head height
Torque: 290 Ft-lbs
Free Speed: 8,500 RPM
Length: 245 mm
Weight: 1.3kg

360° adjustable exhaust ring
Torque selector ring
8 position swivel trigger



See full range on page 14.

\$339
PN: BJ220B2

Wall Mountable 20m Hose Reel

New!

- Wall mountable with 180° swivel bracket
- 1.5m inlet hose with 360 swivel inlet

- Metal housing
- Adjustable air line stopper
- Socket shrouded

Hose Size: 20 Metre x 11 mm ID



See full range on page 19.

\$279
PN: GPHR1020

Heat-Shrink Tubing Kit

New!

171 piece kit with 13 different sizes.
Sizes: 2, 4, 4.5, 5, 6, 8, 9, 12, 18 & 10 mm

Thermal Rating: -55 to 125°C
Voltage Rating: 600V
Shrink Range: 70 to 110°C
Shrink Ratio: 2:1



\$26.50
PN: AAK33



See full range on page 3.

Cam-Drive Ezi-Shear

The Cam-Drive Ezi-Shear will compliment Milwaukee M18™ 14 Gauge Double Cut Shear (2636-20) Milwaukee M18™ 18 Gauge Single Cut Shear Kit (2637-20) Milwaukee M18™ Double Cut Shear (2635-20)

**CUTS CORRUGATED
IRON LIKE A HOT KNIFE
THROUGH BUTTER!**



\$199
PN: EZISMIL



See more on page 18.

Dual Chuck Tyre Gauge

**Ideal For
Truck Tyres!**

- Dual-chuck & 0.7m extended hose is ideal for truck wheels
- Large 75 mm dial

Range: 0-220 PSI
Units: PSI, kg/cm², KPA & Bar
Hose Length: 750mm
Flow Rate: 1.28 CFM @ 100 PSI
Weight: 1.2 Kg

New!



See full range on page 11.


\$159
PN: KP79607

Performance

Suprabeam torches incorporate the latest high performance LED Power-chips available, delivering constant maximum output when it's needed. Our specially designed Thermal Management systems ensure, efficient power consumption and long life operation.

Efficiency

Our patented Hyperfocus™ Lens/Reflector technology provides the user with greater control and visible light output, compared to other systems. This technology ensures all our torches produce the highest light output by utilizing a high efficiency aluminium reflector and Hyperfocus™ lens system.



All components are manufactured and tested to the highest standards, which is backed by a 5 year full product warranty. Suprabeam warrants its products to be free from defects in materials and workmanship. Any product or part which is found to be defective under normal use will be repaired or replaced.

Lightweight Headlight



Beam: Sliding Hyperfocus™
Switch: Memory Touch Function Button
Brightness Modes: BOOST 250 Lumen
Dimmer 5-150 Lumen SOS 200 Lumen
Battery Life: 100 hours
Power Source: 3 x AAA batteries
Weight (incl. battery): 140 g
Headband: Fits to 50-70 cm

Lightweight Rechargeable



Beam: Sliding Hyperfocus™
Switch: Memory Touch Function Button
Brightness Modes: BOOST 320 Lumen
Dimmer 5-250 Lumen SOS 200 Lumen
Battery Life: 100 hours
Power Source: 1 x 1400 mAh Li-ion Polymer (10.36 Wh)
Weight (incl. battery): 148 g
Headband: Fits to 50-70 centimeters

Versatile Headlight



Beam: Mixed Beam Hyperfocus™
Switch: Memory Touch Function Button
Brightness Modes: BOOST 400 Lumen
Dimmer 10-270 Lumen SOS 200 Lumen
Battery Life: 8 hrs (Boost) - 110 hrs (Low)
Power Source: 3 x AAA batteries
Weight (incl. battery): 204 g
Headband: Fits to 50-70 cm

Intelligent Headlamp



Beam: Fixed Hyperfocus™
Switch: 3 Step White - 2 Step Red
Brightness Modes: White BOOST 320 Lm
Dimmer 20-200 Lm Red 10-30 Lm
Battery Life: 4 hours
Power Source: 3 x AAA batteries OR
Weight (incl. battery): 139 g
Headband: Fits to 50-70 centimeters

The Versatile Miniature



Beam: Rotating Hyperfocus™ Lens
Switch: All metal Touch Function button
Brightness Modes: High 80 Lumens
Low 20 Lumens
Battery Life: 5 hours
Power Source: 1 x AAA Battery
Weight (incl. battery): 38 g
Dimensions: L: 98 mm, Ø: 15 mm

Powerful Pen Torch



Beam: Rotating Hyperfocus™
Switch: All metal Touch Function button
Brightness Modes: High 160 Lumens
Low 20 Lumens
Battery Life: 10 hours
Power Source: 2 x AAA Batteries
Weight (incl. battery): 56 g
Dimensions: L: 141.5 mm, Ø: 15 mm

Compact & Rechargeable



Beam: Sliding Hyperfocus™ Lens
Switch: All metal Touch Function button
Brightness Modes: BOOST 380 Lumen
High 200 Lumen Medium 50 Lumen
Low 15 Lumen Strobe 10 Hz
Battery Life: 2h 15m (Boost) - 60 hrs (Low)
Power Source: 3 x AAA Batteries
Weight (incl. battery): 96 g
Dimensions: L: 127.7 mm, Ø: 26.5 mm

Compact & Rechargeable



Beam: Sliding Hyperfocus™ Lens
Switch: All metal Touch Function button
Brightness Modes: BOOST 400
High 250 Lumen Medium 50 Lumen
Low 15 Lumen Strobe 10 Hz/14 Lms
Battery Life: 2 hrs (Boost) - 89 hrs (Low)
Power Source: Li-ion 18650 (8.14 Wh)
Weight (incl. battery): 139 g
Dimensions: L: 127.7 mm, Ø: 26.5 mm

Versatile & Powerful



**Stepless Dimming with
Brightness Memory**

Beam: Sliding Hyperfocus™
Switch: Touch Function Dimmer
Brightness Modes: BOOST 400 Lumens
Dimmer 40-400 Lumens
Battery Life: 2 hrs (Boost) - 80 hrs (Low)
Power Source: 3 x AAA Batteries
Weight (incl. battery): 152 g
Dimensions: L: 129 mm, Ø 36 mm

Versatile & Powerful



Beam: Sliding Hyperfocus™
Switch: All metal Touch Function button
Brightness Modes: BOOST 800
High 350 Lumen Medium 200 Lumen
Low 50 Lumen Strobe 10 Hz/50 Lms
Battery Life: 3 hrs (Boost) - 24 hrs (Low)
Power Source: 1 x 18650 Li-ion (8.14 Wh)
Weight (incl. battery): 132 g
Dimensions: L: 134 mm, Ø: 32 mm

Powerful & Rechargeable



Beam: Sliding Hyperfocus™ Lens
Switch: Touch Function Silicone Button
Brightness Modes: BOOST 1000 Lumen
High: 600 Lumen Medium 200 Lumen
Low 50 Lumen Strobe 10 Hz/50 Lms
Battery Life: 3 hrs (Boost) - 37 hrs (Low)
Power Source: Li-ion 26650 (18.5 Wh)
(spare battery included)
Weight (incl. battery): 307 g
Dimensions: L: 150 mm, Ø: 46 mm

Both the **SBQ4xr** & **SBQ7xr** torches come in a durable plastic case with a Professional Quality Pouch with Velcro & Press Stud Strap, 100-240 VAC Adaptor with USB cable and external ICR Charger.





Hand Tools

Riveting Tool

- Sets Stainless Steel Rivets up to 4.0 mm (5/32")
- Sets 2.4 (3/32"), 3.2 (1/8"), 4.0 (5/32") & 4.8 mm (3/16") rivets

New!



\$49
PN: GHTJ701

Heavy Duty Riveting Tool

- Sets Stainless Steel Rivets up to 4.8mm (3/16")
- Sets 2.4 (3/32"), 3.2 (1/8"), 4.0 (5/32") & 4.8mm (3/16") rivets

New!



\$89
PN: GHTTC20

Letter & Number Punch Sets

- 36 Piece set includes 27 "A" to "Z" plus "&", and 9 Piece 0-8 (6 is used as 9)
- Hardness: HRC 58-62°



- 3 mm Punch Set PN: GYC607-3 **\$49**
- 4 mm Punch Set PN: GYC607-4 **\$58**
- 5 mm Punch Set PN: GYC607-5 **\$69**
- 6 mm Punch Set PN: GYC607-6 **\$94**
- 8 mm Punch Set PN: GYC607-8 **\$149**

3.2 MM Deburring Tool with 3 Multi-Cutting Edge blades

- Blades can be stored inside the Handle.

- Includes blades: 45° Blade Pitch GDSMC10, 60° Blade Pitch GDSMC20 & 90° Blade Pitch GDSMC101



\$33
PN: GD33333

6 MM Heavy Duty Quick Release Deburrer

- Removable cap for blade storage

- 6 mm Heavy Duty Quick Release Handle (GDSRSDMK) with 6 mm General Purpose Blade (GDSR10S).



\$32
PN: GDSRSDMKK

24 Piece Deburring Set

- Set of Multi-Component and Quick Release Handles including a comprehensive range of accessories.

Set includes:

- 3 Multi-Component Handles (GDSTSDMK)
- Heavy Duty 6 mm Quick Release Handle (GDSRSDMK)
- Micro Deburring blades: GDSP1, GDSP2, GDSP3
- Standard Deburring blades: GDSC10, GDSC101, GDSC15, GDSC20, GDSC30, GDSC35

- Heavy Duty 6 mm Deburring blades: GDSR10S, GDSR15S

- Telescopic Blade Holders: GDSDTP, GDSBTC, GDSVT, GDSCSLONG, GDSKW

- Deburring Blades & Scrapers: GDSV4, GDSKW9, GDSKW16, GDSCSLONG, GDSSCR6, GDSV2, GDSC1



\$235
PN: GD88030

Rivet & Nutsert Tool

- Sets 4.0 mm Stainless Rivets & M5 Stainless Nutserts

New!

A 2-in-1 fastening tool that sets nutserts as well as blind rivets.

- Sets 2.4, 3.2, 4.0 & 4.8 mm Rivets AND M3, M4, M5 & M6 Nutserts



2-in-1
RIVETS/NUTSERTS

\$119
PN: GHTJ703A

Heavy Duty Rivet & Nutsert Tool

- Sets Stainless Steel Rivets up to 4.8 mm (1/4")
- Stainless Steel nutserts up to M8

- Sets 3.2 (1/8"), 4.0 (5/32"), 4.8 (3/16") & 6.4mm (1/4") Rivets and M4, M5, M6 & M8 Nutserts

2-in-1
RIVETS/NUTSERTS

New!



Space-Saving Foldable Handles

Quick-Lock Hinges

Rivet mandrels Storage

Self locking Latches

Forged Main Arms

\$199
PN: GHTL13

Jumbo Metric 13 Piece Ball Point Hex Key Set

- Set includes: 2, 2.5, 3, 4, 5, 6, 7, 8, 10, 12, 14, 17, 19 mm Keys

\$99
PN: GXHK19M



Magnetic Telescopic Pickup Tool

- Length: 170-900 mm
- Capacity: 3.6 Kg

\$15
PN: MTP001

Magnetic Clean-Up Wand

- Capacity: 6.30 Kg
- Length 400 mm
- Weight 0.5 Kg

\$79
PN: MW001



See full description of this comprehensive kit at: gamer.com.au/high-performance-deburring-sets



Automotive Clip & Split Pin Kits

Speed Clips & Nuts

90 piece kit includes an assortment of 7 types of speed clips & nuts, ranging from (No. 10) 4.8 mm to (No.14) 6.3 mm Speed Clips and 5 & 6 mm Speed Nuts.



\$33

PN: AAK05

DIN 94 Split Pins - Small Kit

300 piece kit includes an assortment of 9 types of DIN 94 split pins, ranging from 2 mm dia. x 25 mm to 5 mm dia. x 63 mm Split Pins.



\$26

PN: AAK08

DIN 94 Split Pins - Large Kit

500 piece kit includes an assortment of 10 types of DIN 94 split pins, ranging from 1.6 mm dia. x 32 mm to 5 mm dia. x 50 mm Split Pins.



\$39

PN: AAK09

DIN 6799 Black Oxide E Clips

300 piece kit includes an assortment of 8 types of DIN 6799 black oxide e clips, ranging from M3, M4, M5, M6, M7, M8, M10 & M12.



\$29

PN: AAK20

External Circlips

120 piece kit includes an assortment of 16 types of external circlips, ranging from M5 to M24.



\$35

PN: AAK30

Automotive Bolt & Screw Kits

Mushroom Pozidrive Self Tapping Screws

200 piece kit includes an assortment of 8 types of Pozidrive Self Tapping Screws, ranging from M8 (4.2 mm x 19) to No.10 (4.8 mm x 30).



\$26

PN: AAK04

DIN 912 Socket Head Cap Screws

120 piece kit includes an assortment of 10 types of DIN 912 (grade 12.9) Allen socket cap screws, ranging from M5x16 & M10x30.



\$26

PN: AAK17

DIN 916 Socket Head Grub Screws

300 piece kit includes an assortment of 8 types of DIN 916 (grade 10.9) Allen head grub screws, ranging from M4x10 & M6x16.



\$32

PN: AAK18

DIN 7991 C'sunk Socket Head Screws

160 piece kit includes an assortment of 10 types of DIN 7991 (grade 10.9) Allen socket countersunk screws, ranging from M4x12 to M10x30.



\$26

PN: AAK19

Driver Kits

Pozidrive, Square & Magnetic Nut Setters

60 piece kit includes an assortment of 10 mm Magnetic Nut Setters, 3/8 Magnetic Nut Setters, No.1x25, No.3x25, No.3x50, No.2x25, No.2x50 Pozo Bits, No.1x50 long Pozo Bits, No.1x25, No.1x50, No.2x25, No.2x50 Square Drive Bits.



\$60

PN: HAK39

Automotive Grease Nipple Kits

Grease Nipples - Small Kit

50 piece kit includes an assortment of 8 types of grease nipples, ranging from GN10A 1/8 BSP, GN112 1/8 NPTx90°, GN12A 1/8 BSPx90°, GN13 1/4 SAE/UNF, GN30 M6x1x45°, GN26 M8x1.25, GN28 M8x1.25x90° & GN36 M8x1x45° Grease Nipples.



\$40

PN: AAK15

Automotive Nut, Bolt & Stud Kits

Propshaft Bolts (Grade 10.9)

40 piece kit includes an assortment of 10 types of (Grade 10.9) propshaft bolts, ranging from M8x1x30 to M12x1.5x40.



\$35

PN: AAK25

Durlock Flange Bolts & Flange Nuts

100 piece kit includes an assortment of 12 types of (Std Course Thread) DIN 6921 durlock flange Bolts & DIN 6923 flange nuts and bolts, ranging from M6x12 to M10x25.



\$29

PN: AAK26

Exhaust Manifold Studs & Nuts

80 piece kit includes an assortment of 8 types of exhaust manifold studs & nuts ranging from M8x1.25 to M10x1.5 Copper Nuts and M8x1.25x40 to M10x1.5x50 Studs.



\$62

PN: AAK11

Automotive Washer Kits

DIN 7604A Soft Annealed Copper Washers

130 piece kit includes an assortment of 8 types of DIN 7604a Small Soft Annealed Copper Washers, ranging from M6 to M18.



\$41

PN: AAK12

Fibre Washers

250 piece kit includes an assortment of 8 types of Fibre Washers, ranging from M4 (4.3 x 9 x 0.8 mm) to M16 (16.1 x 22 x 0.8 mm).



\$41

PN: AAK13

Automotive O-Ring Kits

Nitrile 70 Duro Shore A Imperial O-rings

225 piece kit includes an assortment of 18 types of nitrile 70 duro shore a imperial o-rings ranging from 3/32" ID x 1/16" (2.38 mm ID x 1.78 mm) to 13/16" ID x 5/32" (20.22 mm ID x 3.53 mm).



\$35

PN: AAK31

NBR-70 Standard Metric O-rings

386 piece kit includes an assortment of 30 types of NBR-70 standard metric o-rings ranging from 3.0 mm ID x 2.0 mm CS (R-01) to 44 mm ID x 4.0 mm CS (R-30).



\$50

PN: AAK32

Washer Kits

Zinc plated Spring Washers

500 piece kit includes an assortment of 8 types of Zinc Plated Spring Washers, ranging from M3, M4, M5, M6, M8, M10, M12 & M16.



\$26

PN: HAK06

Heavy Duty Zinc Plated Flat Washers

500 piece kit includes an assortment of 8 types of heavy duty zinc plated flat washers, ranging from M3, M4, M5, M6, M8, M10, M12 & M16.



\$26

PN: HAK07



GTB43 SERIES

Tool Chests & Roller Cabinets

8 Drawer Tool Chest

PN: GTB43T



\$749
PN: GTB43T

- Twin gas strut top lid
- Self locking drawers secure contents while cabinet is in transit
- All drawers feature drawer liners
- One key locks all drawers & lid
- Stainless steel side handles
- Side panels allow for a highly customisable array of hooks for extra storage of commonly used large tools (sold separately).
- Gloss Black finish

Overall Dimensions: 1160W x 460D x 460H mm (Inc. handles)

Top Tray: 955W x 385D x 80H mm

4 x Left side drawers:
555W x 400D x 70H mm

4 x Right side drawers:
285W x 400D x 70H mm

Weight: 56 Kg

12 Drawer Base Cabinet

PN: GTB43B



\$1,199
PN: GTB43B

- Self locking drawers secure contents while cabinet is in transit
- All drawers feature drawer liners
- Features a work bench with removable rubber mat.
- One lock for all drawers
- Stainless steel side handle
- Twin push-lock casters
- Wall bumpers on all 4 corners
- Double runner on large drawers
- Side panels allow for a highly customisable array of hooks for extra storage of commonly used or large tools (sold separately).
- Versatile full width top drawer to suit a wide range of differently shaped or large tools
- Gloss Black finish

Overall Dimensions: 1200W x 460D x 1040H mm (Inc. handle)

Full width drawer: 920W x 400D x 125H mm

5 x Left side drawers:
555W x 400D x 70H mm

4 x Right side drawers:
285W x 400D x 70H mm

1 x Left side bottom drawer:
555W x 400D x 150H mm

1 x Right side bottom drawer:
285W x 400D x 230H mm

Weight: 94 Kg

20 Drawer Tool Chest & Base Cabinet Kit

PN: GTB43BTK

Includes GTB43 Tool Chest (PN: GTB43T) and Base Cabinet (PN: GTB43B).

\$1,799
PN: GTB43BTK



3 Shelf Side Cabinet

PN: GTB43SC

- Mounts to left or right side of GTB43 Roller 12 Drawer Cabinet (PN: GTB43B) to add additional storage
- Key lockable door
- Removable 10mm high Durable 10mm high density foam top mat
- Gloss Black finish

Overall Dimensions:
445W x 870H x 460D mm

2 x height adjustable top shelves
1 x base shelf



\$249
PN: GTB43SC

GTB Parts Tray

PN: GTB43TRAY

- Inserts into top of either GTB Side Cabinets or the 12 Drawer GTB43 Roller Cabinet (PN: GTB43B) to add parts storage
- Heavy duty 1.2 mm steel construction
- Gloss Black finish

Overall Dimensions: 196W x 29H x 450L mm



\$29
PN: GTB43TRAY

GTB Stainless Work Bench

PN: GTB43ST

- Timber reinforced 1.2mm stainless steel work bench.
- Inserts into top of the 12 Drawer GTB43 Roller Cabinet (PN: GTB43B) to add additional bench space

Overall Dimensions: 664W x 20H x 445L mm



\$95
PN: GTB43ST

GTB Side Tray

PN: MTB001

- Portable magnetic side tray ideal for storing tools such as hammers, spray-cans, spanners or screwdrivers in an easily accessible place.

Overall Dimensions: 305W x 180H x 90D mm



\$49
PN: MTB001

Drill Press Vices



100 mm Drill Press Vice
 Base: 177 x 161mm
 Jaw Size: 101 x 23mm
 Jaw opening: 100mm

\$45
 PN: TV102-4

150 mm Drill Press Vice
 Base: 238 x 210mm
 Jaw Size: 150 x 28mm
 Jaw opening: 150mm

\$75
 PN: TV102-6

200 mm Drill Press Vice
 Base: 348 x 287mm
 Jaw Size: 200 x 46mm
 Jaw opening: 200mm

\$320
 PN: TV122-3

Gasket Punch Set

14 Piece set includes: 1/4, 5/16, 3/8, 7/16, 1/2, 5/8, 3/4, 7/8, 1, 1 1/8, 1-1/4, 1-3/8 & 1-1/2"



\$79
 PN: GGPS

100 mm Welders Vice

Base dimension: 236 x 236 mm
 Overall height: 61 mm
 Jaw opening: 100 mm



\$159
 PN: TV275

Magnetic Broom

The telescopic handle features a quick-release slide to discard swarf.

Lifts up to 9 Kg
 Width: 377 mm



\$129
 PN: MB001

3 Piece Step Drill Set

- TiN coated HSS
- Helical flute

Set includes 4-12 MM, 4-20 MM & 4-32 MM



\$159
 PN: G3SD

Gear & Bearing Splitting Combination Set

Small Bearing Separator

Jaw Range: 30-50 mm
 Working Range: 0-135 mm

Large Bearing Separator

Jaw Range: 50-75 mm
 Working Range: 0-180 mm

Includes Centre Adapter.

S45C Drop Forged hardened Main Beam and Bearing Separators.



\$189
 PN: GBTK

Multi-Hydraulic Gear Puller Kit

Bearing Separator

S45C Drop Forged hardened Bearing Separator.

Working Range: 0-370 mm
 Jaw Range: 75-105 mm

Gear Puller

Working Range: 0-185 mm

Set includes:
 Twin & Triple Leg Heads
 Hydraulic Ram (12 Ton capacity)
 Carbon Steel Beam
 200 mm, 150 mm, & 100 mm arms
 85 mm, 35 mm, Spacers
 25 mm Centre Adapter



\$459
 PN: GHPK

Soluble Cutting Oil

Contains emulsifiers and bactericides specifically formulated to provide excellent stability and rust prevention characteristics in hard water up to 400 ppm (expressed as calcium carbonate).

Mix between 5% to 10% with clean tap water.



1 Litre
\$25
 PN: SOLOIL1

5 Litres
\$99
 PN: SOLOIL5

20 Litres
\$339
 PN: SOLOIL20

Keyed Drill Chucks

- Suitable for lathes, drilling & milling machines
- Includes chuck key



1-13 mm Keyed Drill Chuck
 Mount: JT6

\$65
 PN: CH13JT6

1-16 mm Keyed Drill Chuck
 Mount: JT6

\$89
 PN: CH16JT6

MT2 x JT6 Arbor **\$19**
 PN: DCAMT2J6

MT3 x JT6 Arbor **\$24**
 PN: DCAMT3J6

JT3, B16 & Threaded Arbors available.

Desktop Magnification Lamp

\$99
 PN: ML30

- Adjustable height and angle
- Interchangeable 100 mm lens (sold separately)
- Bright 560 Lumen LED lamp with lens cover

Lens dia.: 100 mm
 Magnification: 3 Diopter
 Max lens height: 300 mm
 Brightness: 560 Lumen
 Power supply: 240V
 Power consumption: 6W
 Cord length: 1.3m



560 Lumen LED Lamp

5 Diopter 100 mm lens
 • Suits Desktop Magnification Lamp (ML30)

\$25

PN: ML30X5LENS

Made in Europe.

For over 50 years Morrisflex has provided optimum solutions for aerospace, automotive, shipbuilding, metal fabrication & welding sectors worldwide. Morrisflex has been committed to providing our customers with high performance products that maximise productivity and reduce costs. Morris Flex is accredited to ISO9001: 2008 and is equipped with the latest CNC technology delivering product of unrivaled quality and consistency.

1/4" Shank Double-Cut Carbide Burrs

Standard & Non-ferrous 1/4" Shank Carbide Burrs are available in three head diameters.



Some Size 3 burrs are available in 6" extended versions.



Non-ferrous & Stainless Carbide Burrs also available.

Oval Shape

Head Size	Overall Length	PN	Price
1	2"	CBSE1	\$34.00
3	2 3/8"	CBSE3	\$49.00
3	6 5/8"	CBSE3L6	\$78.00
5	2 5/8"	CBSE5	\$67.00

Ball Nosed Tree Shape

Head Size	Overall Length	PN	Price
1	2"	CBSF1	\$34.00
3	2 1/2"	CBSF3	\$49.00
3	6 3/4"	CBSF3L6	\$78.00
5	2 3/4"	CBSF5	\$67.00

Pointed Tree Shape

Head Size	Overall Length	PN	Price
1	2"	CBSG1	\$34.00
3	2 1/2"	CBSG3	\$49.00
3	6 3/4"	CBSG3L6	\$78.00
5	2 3/4"	CBSG5	\$67.00

Carbide Burr Sets

1/8" Head Carbide Burr 10 Piece Set

Shank Dia: 1/8"

3/8" Head Carbide Burr 3 Piece Set

Shank Dia: 1/4"

1/4" & 3/8" Head Burr 8 Piece Set

Shank Dia: 1/4"

1/2" Head Carbide Burr 5 Piece Set

Shank Dia: 1/4"

3/8" Head Non-ferrous Burr 3 Piece Set

Shank Dia: 1/4"

3/8" Head Stainless Burr 3 Piece Set

Shank Dia: 1/4"



\$156
PN: CBSET10



\$125
PN: CBSET3



\$262
PN: CBSET8



\$282
PN: CBSET5



\$145
PN: CBSET3NF



\$159
PN: CBSET3INOX

Cylinder Shape



Head Size	Overall Length	PN	Price
1	2"	CBSA1	\$34.00
3	2 1/2"	CBSA3	\$49.00
3	6 3/4"	CBSA3L6	\$78.00
5	2 3/4"	CBSA5	\$67.00

Cylinder Shape with End Cut



Head Size	Overall Length	PN	Price
1	2"	CBSB1	\$34.00
3	2 1/2"	CBSB3	\$49.00
3	6"	CBSB3L6	\$78.00
5	2 3/4"	CBSB5	\$67.00

Radius Ended Cylinder Shape



Head Size	Overall Length	PN	Price
1	2"	CBSC1	\$34.00
3	2 1/2"	CBSC3	\$49.00
3	6"	CBSC3L6	\$78.00
5	2 3/4"	CBSC5	\$67.00

Ball Shape



Head Size	Overall Length	PN	Price
1	2"	CBSD1	\$34.00
3	2 1/8"	CBSD3	\$49.00
3	6"	CBSD3L6	\$78.00
5	2 1/4"	CBSD5	\$67.00

Flame Shape



Head Size	Overall Length	PN	Price
1	2 3/4"	CBSH1	\$34.00
3	2 1/2"	CBSH3	\$49.00
5	3"	CBSH5	\$67.00

Ball Nosed Cone Shape



Head Size	Overall Length	PN	Price
1	2"	CBSL1	\$34.00
3	3"	CBSL3	\$49.00
3	6"	CBSL3L6	\$78.00
5	3"	CBSL4	\$67.00

Cone Shape



Head Size	Overall Length	PN	Price
1	1 7/8"	CBSM1	\$34.00
3	2 1/2"	CBSM4	\$49.00
5	2 3/4"	CBSM5	\$67.00

Inverted Cone Shape



Head Size	Overall Length	PN	Price
1	2"	CBSN1	\$34.00
3	2 1/8"	CBSN3	\$49.00
5	2 1/4"	CBSN5	\$66.00

60° Countersink Shape



Head Size	Overall Length	PN	Price
1	2"	CBSJ1	\$34.00
3	2 1/4"	CBSJ3	\$49.00
5	2 3/8"	CBSJ5	\$67.00

90° Countersink Shape



Head Size	Overall Length	PN	Price
1	2"	CBSK1	\$34.00
3	2 1/8"	CBSK3	\$49.00
5	2 1/8"	CBSK5	\$67.00



Digital & Dial Indicators

25 MM Dual Scale Digital Indicator

Range: 25.4 mm/1"
Resolution: 0.01 mm/0.0005"
Accuracy: 20 µm

PN: AC-212-025-11
\$135.00

USB
DATA OUTPUT

Functions: zero point, Invert measuring, inch/mm direction, data preset, ABS
• USB data output
• Supplied with flat & lug back

10 mm Jeweled Metric Dial Indicator

Range: 10 mm
Graduations: 0.01 mm
Accuracy: 20 µm

PN: AC-222-010-11
\$62.00

• Limit hands
• Jeweled bearing
• 1 mm range per dial revolution
• Lug back



Dial Indicator & Magnetic Stand Kits

10 mm Dial Indicator & Magnetic Stand with Fine Adjustment

Stem hole: Ø4 mm, Ø8 mm, 3/8"
Magnetic Force: 60 kgf
Graduation: 0.01 mm
Accuracy: ±20 µm

PN: AC-280-000-02
\$145.00

1" Inch Dial Indicator & Magnetic Stand with Fine Adjustment

Stem hole: Ø4 mm, Ø8 mm, 3/8"
Magnetic Force: 60 kgf
Graduation: 0.001"
Accuracy: ±20 µm

PN: AC-280-001-02
\$145.00



• Aluminium Case Included

1" Imperial Dial Indicator

Graduation: 0.001"
Accuracy: 20 µm

PN: AC-225-025-11
\$62.00

30 mm Metric Dial Indicator

Graduations: 0.01 mm
Accuracy: ±35 µm

PN: AC-229-030-11
\$119.00

Metric Dial Test Indicator



PN: AC-261-008-11
\$110.00

Dial Test Indicator Centering Holder

Dial Test Indicator Centering Holder. For centering of cylinders or holes.

PN: AC-269-060-01
\$32.00

• 0.01 mm Graduations
• Jeweled bearing
• Carbide stylus
• Double scale spacing
• Anti-magnetic copper body
• 4 mm & 8 mm Dia clamps.

Range: 0.8 mm
Graduation: 0.01 mm
Accuracy: ±13 µm

Magnetic Stands

Magnetic Stand with Fine adjustment

Stem holes: 8 mm
Magnetic Force: 60 kgf

PN: AC-281-060-01
\$69.00

Magnetic Stand

Stem holes: 8 mm
Magnetic Force: 60 kgf

PN: AC-281-060-02
\$62.00

Universal Magnetic Stand

Stem hole: 8 mm
Height: 395 mm
Arm Lengths: 340 mm
Magnetic Force: 80 kgf

PN: AC-282-080-02
\$165.00

Mini Universal Magnetic Stand

Stem holes: 8 mm
Height: 231 mm
Arm length: 192 mm
Magnetic Force: 40 kgf

PN: AC-286-040-01
\$155.00

Infrared Thermometer

Functions: Min/Max. & Average Differential indication, High & Low Temp. Alarm & 100 Sample Point Memory
• Adjustable Emission Compensation
• Battery Power Indicator
• Mutable sample capture alarm
• Back-light LCD Display
• 1/4"-20 UNC Tripod Mount
• Laser Sight

Measuring range: -50-700 °C
Accuracy: 1.5% or 1.5 °
Distance spot ratio: 12:1
Response time: 500 ms
Resolution: 0.1 °C
Power supply: 9V battery

PN: AC-IT700
\$149.00



Ferrous & Non-ferrous Coating Thickness Gauge

• Measures thickness of non-magnetic coatings on magnetic substracts
• Measures thickness of non-conductive coatings on conductive substracts
• Interchangeable probe
• Temperature compensation

Range: 0 ~ 1500µm
Accuracy: 2µm (0 - 100µm)
2%(100 - 1500µm)
Resolution: 0.1µm (0 - 999µm)
1µm (1000 - 1250µm)
Memory 500 Samples
Power 3xAAA batteries
Weight 170 g

PN: AC-CFN1500
\$1995



New!

Combination Square Set

90° or 45° square
90° square accuracy: ±8',
45° square accuracy: ±10'

Circle Centre Finder
Accuracy: ±0.15 mm
Ruler range: 300 mm/12"



PN: AC-817-180-02
\$199.00

Protractor
Range: 0-180°
Accuracy: ±7'

Protractors

200 MM Digital Combination Ruler

Length: 200 mm
Range: 360°
Resolution: 0.1°

PN: AC-821-008-01
\$85.00

300 MM Digital Combination Ruler

Length: 300 mm
Range: 360°
Resolution: 0.1°

PN: AC-821-012-01
\$95.00

180° Protractor

Ruler Length: 220 mm
Protractor Range: 180°



PN: AC-812-005-01
\$48.00

Telescopic Gauge Set

Gauge sizes:
8-12.7 mm, 12.7-19 mm,
19-32 mm, 32-54 mm,
54-90 mm & 90-150 mm
Handle lengths:
115-137 mm



PN: AC-951-006-01
\$65.00

15 MM Taper Gauge

Range: 0.8-15 mm
Graduations: 0.1 mm



PN: AC-962-015-05
\$29.00

Metric Dial Calipers



• Shockproof
Measures: Inside, Outside & Depth

150 mm Metric Dial Caliper

Range: 0-150 mm
Resolution: 0.01 mm
Accuracy: ± 0.03 mm
Int. Jaw Reach: 16.5 mm
Ext. Jaw Reach: 40 mm

PN: AC-101-006-11
\$119.00

200 mm Metric Dial Caliper

Range: 0-200 mm
Resolution: 0.01 mm
Accuracy: ± 0.03 mm
Int. Jaw Reach: 19 mm
Ext. Jaw Reach: 50 mm

PN: AC-101-008-11
\$149.00

300 mm Metric Dial Caliper

Range: 0-300 mm
Resolution: 0.01 mm
Accuracy: ± 0.04 mm
Int. Jaw Reach: 25 mm
Ext. Jaw Reach: 64 mm

PN: AC-101-012-11
\$230.00

Dual Scale Digital Calipers



USB
DATA OUTPUT

Functions: zero point, mm/inch
Measures: Inside, Outside & Depth
• USB data output
• Meet DIN862

150 mm Dual Scale Digital Caliper

Range: 0-150 mm
Resolution: 0.01 mm
Accuracy: ± 0.03 mm
Int. Jaw Reach: 16 mm
Ext. Jaw Reach: 40 mm

PN: AC-111-006-12
\$85.00

200 mm Dual Scale Digital Caliper

Range: 0-200 mm
Resolution: 0.01 mm
Accuracy: ± 0.03 mm
Int. Jaw Reach: 19 mm
Ext. Jaw Reach: 50 mm

PN: AC-111-008-12
\$125.00

300 mm Dual Scale Digital Caliper

Range: 0-300 mm
Resolution: 0.01 mm
Accuracy: ± 0.03 mm
Int. Jaw Reach: 20.5 mm
Ext. Jaw Reach: 60 mm

PN: AC-111-012-12
\$179.00

Splash Proof IP54 Dual Scale Digital Calipers



USB
DATA OUTPUT

Functions: zero point, mm/in, ABS
Measures: Inside, Outside & Depth
• Highly accurate glass scale
• USB data output
• Meet DIN862 Standard

150 mm Dual Scale Splash Proof IP54 Digital Caliper

Range: 0-150 mm/0-6"
Resolution: 0.01 mm/0.0005"
Accuracy: ± 0.03 mm/0.001"
Int. Jaw Reach: 16 mm
Ext. Jaw Reach: 40 mm

PN: AC-111-006-11
\$110.00

200 mm Dual Scale Splash Proof IP54 Digital Caliper

Range: 0-200 mm/0-8"
Resolution: 0.01 mm/0.0005"
Accuracy: ± 0.03 mm/0.001"
Int. Jaw Reach: 19 mm
Ext. Jaw Reach: 50 mm


PN: AC-111-008-11
\$145.00

300 mm Dual Scale Splash Proof IP54 Digital Caliper

Range: 0-300 mm/0-12"
Resolution: 0.01 mm/0.0005"
Accuracy: ± 0.03 mm/0.001"
Int. Jaw Reach: 20.5 mm
Ext. Jaw Reach: 60 mm

PN: AC-111-012-11
\$210.00

Coolant Proof IP67 Dual Scale Digital Calipers



• IP67 protection level
Measures:
Inside, Outside & Depth
Functions: zero point, mm/inch

150 mm Dual Scale Coolant Proof Digital Caliper

Range: 0-150 mm/0-6"
Resolution: 0.01 mm/0.0005"
Accuracy: ± 0.03 mm/0.001"
Int. Jaw Reach: 16 mm
Ext. Jaw Reach: 40 mm

PN: AC-112-006-12
\$240.00

200 mm Dual Scale Coolant Proof Digital Caliper

Range: 0-200 mm/0-8"
Resolution: 0.01 mm/0.0005"
Accuracy: ± 0.03 mm/0.001"
Int. Jaw Reach: 19 mm
Ext. Jaw Reach: 50 mm

PN: AC-112-008-12
\$275.00

300 mm Dual Scale Coolant Proof Digital Caliper

Range: 0-300 mm/0-12"
Resolution: 0.01 mm/0.0005"
Accuracy: ± 0.03 mm/0.001"
Int. Jaw Reach: 20.5 mm
Ext. Jaw Reach: 60 mm

PN: AC-112-012-12
\$355.00

IP54 Fractional Imperial Digital Caliper




PN: AC-113-008-11
\$155.00

Display Modes: Fraction Imperial,
Decimal Imperial & Metric
Auto On/Off
Made of stainless steel
IP54 Protection Rating

Range: 0-200 mm / 0-8"
Resolution: 0.01 mm / 0.005" / 1/128"
Accuracy: ± 0.03 mm
Internal Jaw Reach: 16 mm
External Jaw Reach: 50 mm
Beam Width: 19 mm

150 mm Digital Plastic Caliper




PN: AC-117-006-11
\$38.00

Range: 0-150 mm/0-6"
Resolution: 0.01 mm/0.0005"
Accuracy: ± 0.1 mm

Functions: mm/in, zero point
Measures: Inside, Outside
• Made of hard plastic

Dual Scale Vernier Calipers



Measures: Inside, Outside & Depth
• Meet DIN862 Standard
• Satin chrome plated scale
• Made of stainless steel

150 mm Dual Scale Vernier Caliper

Range: 0-150 mm / 0-6"
Graduation: 0.02 mm/0.001"
Accuracy: $\pm 0.03/0.001$ "
Int. Jaw Reach: 15.5 mm
Ext. Jaw Reach: 40 mm

PN: AC-120-006-12
\$59.00

200 mm Dual Scale Vernier Caliper

Range: 0-200 mm / 0-8"
Graduation: 0.02 mm/0.001"
Accuracy: $\pm 0.03/0.001$ "
Int. Jaw Reach: 19 mm
Ext. Jaw Reach: 50 mm

PN: AC-120-008-12
\$89.00

300 mm Dual Scale Vernier Caliper

Range: 0-300 mm / 0-12"
Graduation: 0.02 mm/0.001"
Accuracy: $\pm 0.04/0.002$ "
Int. Jaw Reach: 22 mm
Ext. Jaw Reach: 64 mm

PN: AC-120-012-12
\$149.00

Dual Scale Long Series Vernier Calipers



Measures: Inside, Outside
• Meets DIN862 Standard

600 mm Dual Scale Vernier Caliper

Range:
Outside 0-620 mm/0-24.4"
Inside 20-600 mm/0.8-23.6"
Graduation: 0.02 mm/0.001"
Accuracy: ± 0.05 mm/0.002"
External Jaw Reach: 100 mm
Int. Jaw Reach: 18 mm

PN: AC-127-024-11
\$315.00

1000 mm Dual Scale Vernier Caliper

Range:
Outside 0-1020 mm/0-40"
Inside 20-1000 mm/0.8-39.35"
Graduation: 0.02 mm/0.001"
Accuracy: ± 0.08 mm/0.003"
External Jaw Reach: 140 mm
Int. Jaw Reach: 24 mm

PN: AC-127-040-11
\$945.00

2000 mm Dual Scale Vernier Caliper

Range:
Outside 0-2020 mm/0-79.5"
Inside 20-2000 mm/0.8-78.5"
Graduation: 0.02 mm/0.001"
Accuracy: ± 0.14 mm/0.006"
External Jaw Reach: 200 mm
Int. Jaw Reach: 24 mm

PN: AC-127-080-11
\$2,350



Metric Outside Micrometers



IMPERIAL SIZES AVAILABLE

- Carbide measuring faces
- Setting standard included
- Ratchet stop

25 MM Metric Outside Micrometer

Graduation: 0.01 mm
Accuracy: 4 µm
Jaw Reach: 29 mm

PN: AC-321-001-01
\$49.00

25-50 MM Metric Outside Micrometer

Graduation: 0.01 mm
Accuracy: 4 µm
Jaw Reach: 39 mm

PN: AC-321-002-01
\$58.00

50-75 MM Metric Outside Micrometer

Graduation: 0.01 mm
Accuracy: 5 µm
Jaw Reach: 53 mm

PN: AC-321-003-01
\$63.00

Wide Base Machinist Squares (Grade 2)

100 MM Wide Base Machinist Square

Squareness: (α) 28 µm (β) 30 µm
Base size: 19H x 12W x 70L mm
Blade Thickness: 3 mm

PN: AC-845-004-02
\$30.00

150 MM Wide Base Machinist Square

Squareness: (α) 33 (β) 35 µm
Base size: 25H x 16W x 100L mm
Blade Thickness: 3 mm

PN: AC-845-006-02
\$40.00

200 MM Wide Base Machinist Square

Squareness: (α) 37 µm (β) 40 µm
Base size: 32H x 16W x 130L mm
Blade Thickness: 4 mm

PN: AC-845-008-02
\$55.00

300 MM Wide Base Machinist Square

Squareness: (α) 47 µm (β) 50 µm
Base size: 32H x 19W x 200L mm
Blade Thickness: 4 mm

PN: AC-845-012-02
\$85.00

600 MM Wide Base Machinist Square

Squareness: (α) 75 µm (β) 80 µm
Base size: 50H x 30W x 350L mm
Blade Thickness: 6 mm

PN: AC-845-024-02
\$299.00



Metric Micrometer Sets



- Calibration certificate

75 MM Micrometer 3 Piece Set

Set of 3 Micrometers
Range: 0-75 mm
Graduation: 0.01 mm
Accuracy: 5 µm

PN: AC-321-003-03
\$169.00

150 MM Micrometer 6 Piece Set

Set of 6 Micrometers
Range: 0-150 mm
Graduation: 0.01 mm
Accuracy: 5 µm

PN: AC-321-006-06
\$399.00

150-300 MM Micrometer 6 Piece Set

Set of 6 Micrometers
Range: 150-300 mm
Resolution: 0.01 mm
Accuracy: ±7 to 9 µm

PN: AC-321-012-06
\$795.00

Feeler Gauges



200 MM Feeler Gauge 20 Leave Set

Range: 0.05-1.00 mm
Length: 200 mm

PN: AC-914-100-20
\$35.00

150 MM Feeler Gauge 20 Leave Set

Range: 0.05-1.00 mm
Length: 150 mm

PN: AC-913-100-20
\$29.00

300 MM Feeler Gauge 20 Leave Set

Range: 0.05-1.00 mm
Length: 300 mm

PN: AC-915-100-20
\$39.00

Metric Gauge Block Sets



- Calibration certificate
- Meet ISO 3650

47 Piece Metric Block Set

Included gauges: 1.005 mm x 1, 1.01 to 1.19 mm (0.1 mm x 19), 1.2 to 1.9 mm (0.1 mm x 8), 1 to 9 mm (1 mm x 9), 10 to 100 mm (10 mm x 10)

PN: AC-512-047-01
\$739.00

87 Piece Metric Block Set

Included gauges: 1.001 to 1.009 mm (0.001 mm x 9), 1.01 to 1.49 mm (0.01 mm x 49), 0.5 to 9.5 mm (0.5 mm x 19), 10 to 100 mm (10 mm x 10)

PN: AC-512-087-01
\$945.00

Block Levels



- 0.02mm/m sensibility per division
- 140° Vee Groove

150 MM Block Level

Length: 150 mm
Height: 45 mm
Width: 50 mm

PN: AC-713-006-02
\$229.00

300 MM Block Level

Length: 300 mm
Height: 45 mm
Width: 50 mm

PN: AC-713-012-02
\$315.00

Feeler Tape



- Made of hardened alloy steel

0.02 mm Feeler Tape

Length: 5 m
Width: 13 mm
Accuracy: ±4 µm

PN: AC-916-002-01
\$35.00

0.04 mm Feeler Tape

Length: 5 m
Width: 13 mm
Accuracy: ±4 µm

PN: AC-916-004-01
\$33.00

60° Metric & 55° Whitworth Screw Gauge



Range: 0.25-6.0 mm & 4-62 TPI
Accuracy: ±0.07 mm

PN: AC-925-062-52
\$30.00

Dual Scale Stainless Rulers

6" Dual Scale Stainless Ruler

Range: 150 mm / 6"
Graduation: 0.5 mm, 1 mm, 1/64", 1/32" & 1/16"

PN: AC-990-006-11
\$9.50

12" Dual Scale Stainless Ruler

Range: 300 mm / 12"
Graduation: 0.5 mm, 1 mm, 1/64", 1/32" & 1/16"

PN: AC-990-012-11
\$16.00

Straight Edge Rulers



300 MM Straight Edge Ruler

Graduations: 0.1 mm
Beam Width: 40 mm
Length: 300 mm

PN: AC-991-012-01
\$99.00

500 MM Straight Edge Ruler

Graduations: 0.1 mm
Beam Width: 40 mm
Length: 500 mm

PN: AC-991-020-01
\$169.00

1000 MM Straight Edge Ruler

Graduations: 0.1 mm
Beam Width: 40 mm
Length: 1000 mm

PN: AC-991-040-01
\$339.00

IMPACT WRENCHES

1/2" Compact Impact Wrench

Free Speed: 9,500 RPM
Max. Torque: 500 Ft/lbs
Weight: 1.65 Kg



97mm Head
\$285
PN: KP1479

1/2" Impact Wrench

1,000 Ft/lbs
Free Speed: 9,500 RPM
Max Torque: 1,000 Ft/lbs
Weight 2.30 Kg



\$299
PN: KP1433

1" Super Duty Impact Wrench

Free Speed: 5,000 RPM
Max. Torque: 1,800 Ft/lbs
Weight: 7.10 Kg



\$1199
PN: KP1638A-P

Super Duty Impact Wrenches

Free Speed: 5,500 RPM
Max. Torque: 1,600 Ft/lbs
Air Inlet: 1/2"



3/4" Drive
\$1100
PN: KP1635

1" Drive
\$1179
PN: KP1635

3/4" Heavy Duty Impact Wrench

Free Speed: 5,500 RPM
Max Torque: 1100 Ft/LBS
Nett Weight: 5.6 Kg



\$849
PN: KP1030

3/4" Heavy Duty Impact Wrench

Free Speed: 6,500 RPM
Max Torque: 750 Ft/lbs
Nett Weight: 4.55 Kg




\$595
PN: KP1023

6" Extended Anvils Available.

1" HD Impact Wrench

- Side handle
- Rubber body protection
- 4 power settings with forward & reverse selector

Free Speed: 3,500 RPM
Max. Torque: 2,500 Ft/lbs
Length: 436 mm
Air Inlet: 1/2"
Weight: 15.55 Kg



\$2100
PN: KP1045

2,500 Ft/lbs

HAMMERING TOOLS

Heavy Duty Chipping Hammer

- Side Exhaust
- Moil Point & Flat Chisels available

Stroke: 102 mm
Impact Rate: 1500 BPM
Length: 350 mm
Weight: 9 Kg



\$749
PN: KP4735S3H

Pittsburgh Hammer

Impact Rate: 4,200 BPM
Stroke: 50 mm
Length: 260 mm
Weight: 2.20 Kg



\$229
PN: KP4711PH

Heavy Duty Air Scaling Hammer

- Detachable side handle for stable operation
- Replaceable carbide tipped cutters

Impact Rate: 2400 BPM
Piston Stroke: 26 mm
Length: 550 mm
Weight: 4.45 Kg



\$749
PN: KP4733

HEAVY DUTY AIR CAULKING GUN

Takes 50 mm diameter sausages
400, 500 & 600 ml sizes.
Air pressure: 45-90 PSI
Length: 550 mm
Weight: 0.9 Kg



\$229
PN: KP4613

NEEDLE SCALERS

Compact Needle Scaler
Blows / Min: 3,700 BPM
Overall Length: 350 mm
19 Needles Ø3 x 180 mm



\$229
PN: KP4714

Pistol Grip Needle Scaler
Blows / Min: 3,700 BPM
Overall Length: 350 mm
19 Needles Ø3 x 180 mm



\$355
PN: KP4722P

PISTOL GRIP DISC SANDERS

3" Pistol Grip Orbital Sander

- Two Speed

Free Speed: 15000 RPM
Spindle: 5/16"-24 UNC
Orbital Dia.: 1.5 mm
Weight: 0.58 Kg



\$199
PN: KP6628

3" Dual Action Two Speed Sander

- Two Speed
- Rotary & Orbital Sanding

Free Speed: 6,000 RPM
Orbital Dia.: 1.5 mm
Length: 175 mm
Weight: 0.74 Kg



\$220
PN: KP6635

Two Speed Air Sander

- Includes 50 mm & 75 mm Quick-Lock Backing Pads
- Side mounted speed regulator

Free Speed: 15,000 RPM
Weight: 0.45 Kg



Extra 2" Pad
\$159
PN: KP6712

Impact Wrenches

1/2" Impact Wrench

Max Torque: 500 Ft/lbs
Nett Weight: 2.0 Kg



\$265

PN: GP260T

3/4" Impact Wrench

Max Torque: 1100 Ft/lbs
Nett Weight: 3.48 Kg



\$585

PN: GP3125

Hammering Tools

Air Hammer Kit

Kit includes 5 Chisels, Oiler, Spring Retainer & Case.

Stroke Length: 19.05 MM
Free Speed: 3,000 BPM
Shank Size: 10.2 MM
Weight: 1.70 Kg



\$110

PN: GP102KD

38 MM Flattening Hammer

New!



\$39

PN: HAG-100

Needle Scaler

- Two part construction for fast dismantling and replacement of worn needles
- Nineteen 3 x 180 MM needles

Stroke Length : 33 MM
Impact Rate: 4,600 BPM
Overall length: 420 MM
Weight: 2.8 Kg



\$315

PN: GP201

3" Cut Off Grinder

- Built in speed regulator
- Includes cut-off disc.
- Rear exhaust

Free Speed: 22,000 RPM
Disc Size: 3" (75 MM)
Weight: 0.75 Kg



\$110

PN: GP3201

Die Grinders

1/4" Medium Die Grinder

Collet Size: 1/4"
Free Speed: 22,000 RPM
Weight: 0.675 Kg



\$75

PN: GP2202

1/4" Angle Die Grinder

Collet Size: 1/4"
Free Speed: 18,000 RPM
Weight: 0.833 Kg



\$149

PN: GP2203R

Wonder Gun Kit

Kit includes flat & small bore tubes, brush attachments, dust bag, 12" flexible extension hose and 1/4" NPT Female inlet connector.



\$78

PN: GPA0206KB

Surface Preparation

6" Random Orbital Sander

Pad Size: 6" (velcro)
Orbit Diameter: 7 MM
Free Speed: 9,000 RPM
Weight: 2.0 Kg



\$149

PN: GP1205

Air Rust & Paint Removal Tool Kit (Non-vacuum)

Versatile support handle can be set to any position within it's 180° range.

Kit includes: Spare disc hub, five 105 MM (4 inch) stripping wheels & carry case.

\$625

PN: GP2001A



Straight Line Sander

- Takes 70 x 445 MM clip on paper.
- Ideal for flat panel automotive work.

Pad Size: 397 x 68 MM
Free Speed: 2,500 RPM
Weight: 2.5 Kg



\$199

PN: GP1203

5" Disc Sander

Includes 3", 4-1/2" & 5" fibre pads, for 22 MM hole abrasives, thread adapter for 50 MM pad & 50 MM abrasive pads

Spindle Size: 3/8 x 24 UNF
Free Speed: 16,000 RPM
Weight: 1.2 Kg

\$135

PN: GP1204R



10 MM Belt Sander

Belt Size: 10 x 330 MM

\$220

PN: GP1264A

20 MM Belt Sander

Belt Size: 20 x 520 MM

\$349

PN: GP1265A



1/8" Micro Die Grinder Kit

Free Speed: 55,000 RPM
Includes 10 grinding stones

\$189

PN: GP2204K



Air & Manual Grease Gun

\$125

PN: GP1031D

- Takes standard 500 cc Cartages

Kit includes one cartage cannister, manual & pneumatic heads



Deluxe Tyre Inflater

HOT PRICE!

Range: 0-160 psi
Units: PSI, KPA

\$99

PN: GPAG200



Blowguns

4" Rubber Tipped Blowgun

- Integrated metal inlet thread
 - Rubber Tip
- Length: 110 MM
Material: POM/Steel

\$17

PN: GP1562



Integrated Air Gun

- 1/4" steel inlet
- 2m fitted hose

\$49

PN: GPB90K



3/8" High Flow Blow Gun Kit

- All Metal Body
- Kit includes:
High Flow Duster, Easily Adjustable High Flow Nozzle, Heavy Duty High Flow Nozzle & Standard Nozzle.

\$50

PN: GHF60AS



Extendable Blow Gun

- Length: 270 to 390 MM
Material: POM/Steel
- Metal inlet for increased durability
 - Adjustable length & angle
 - Locking ring.

\$27

PN: GP1562E




1 Metre Blow Gun

- Overall Length: 1050 MM
Inlet: 1/4" metal insert
Material: POM/Steel

- Durable all metal construction
- Foam grip

\$52

PN: GP1561



THE BONE™ CREEPERS & STOOLS

The Bone™ and Bonester™ feature a uniquely shaped body which cradles the user between the wheels only an inch or so above the ground. The big, easy rolling wheels are positioned outboard to provide a strong, stable working platform that can't tip or flip the user. The large diameter wheels roll easily over all sorts of obstacles such as cords and air lines.

One Year FACTORY WARRANTY

ROUGH RIDER

Mechanics Creeper
1194L x 648W x 191H MM
Wheels: Ø130 MM x 33 MM
Rough Rider Tyres
73 MM Ground Clearance
Weight: 9.1 Kg

180 KG CAPACITY



\$439

PN: BONE7031

THE BONESTER SUPER LOW PROFILE

Mechanics Creeper
1092L x 594W x 114H MM
Wheels: Ø75 MM x 22 MM
Load Capacity: 180 Kg
Easy Rider Tyres
38 MM Ground Clearance
Weight: 6 Kg

180 KG CAPACITY



\$259

PN: BONE4031

THE TAIL BONE

Rough Rider Mechanics Stool
Huge 130 MM Rough Rider Tyres
44 MM Ground Clearance
330 MM Seat Height
740L x 800W MM
Weight: 7.5 Kg

180 KG CAPACITY



\$399

PN: BONE5131

THE BONE LOW PROFILE

Mechanics Creeper
1194L x 648W x 160H MM
Wheels: Ø130 MM x 25 MM
Load Capacity: 180 Kg
Wide Easy Rider Tyres
45 MM Ground Clearance
Weight: 8 Kg

140 KG CAPACITY



\$399

PN: BONE6031

160 KG CAPACITY

\$359

PN: BONE5031

3/8" Extended Ratchet Wrench

Max Torque: 30 Ft/lbs
Length: 389 MM
Weight: 1 Kg



\$195
PN: BRP103LG1

1/4" Angle Die Grinder

Free Speed: 20,000 RPM
Length: 165 MM
Weight: 0.55Kg



\$175
PN: BG210R

1/4" 5" Extended Die Grinder

Collet Size: 1/4"
Free Speed: 21,000 RPM
Length: 280 MM
Weight: 0.80 Kg



\$199
PN: BG215RA1

1/4" 115° Angle Die Grinder

Free Speed: 18,000 RPM
Collet Size: 1/4"
Length: 202 MM
Weight: 0.75 Kg



\$199
PN: BG230RA1

6" Random Orbital Sander

Orbit Diameter: 5 MM
Spindle: 5/16"x24 UNF
Free Speed: 12,000 RPM
Weight: 0.99 Kg

\$249
PN: BOS156A1



Dust-Free 6" Random Orbital Sander

Orbit Diameter: 5 MM
Free Speed: 12,000 RPM
Spindle: 5/16 x 24 UNF
Weight: 0.99 Kg

\$275
PN: BOS156SA1



Air Hammer Kit in Blow-Mould Case

- Includes 5 chisels & quick change spring retainer
- Integrated piston cushion design for lower vibration and less fatigue
- T handle design for better tool balance

Chisel shank: 10.2 MM
Impact Rate: 2,900 bpm
Weight: 1.73 Kg

\$249
PN: BHA67A1



2" Angle Grinder

Free Speed: 15,000 RPM
Length: 178 MM
Weight: 0.8 Kg

\$199
PN: BG222RA1



50 MM Angle Grinder Disc

Suits BG222RA1
Max Speed: 23,000 RPM
Size: 50 x 4 x 9.53 MM

\$9
PN: 3510232



B Puller

Pin Dia.: 4.8 MM
Nail Dia.: 2-4 MM
Weight: 0.80 Kg



\$299
PN: BPULLER

Medium Duty 80 Series Stapler

Staple Crown: 12.8 MM (80 Series)
Staple Length: 6-16 MM
Capacity: 100 Staples
Weight: 0.90 Kg

\$159
PN: BN301GE



34° DA Nailer

- Swivel exhaust
- Depth adjustment
- Angled air inlet

Nail Shank: 1.8 MM (15 Gauge)
Fastener Length: 25-64 MM
Capacity: 100 Nails
Weight: 1.95kg

\$299
PN: BA3464A1



2.5 MM T-Nailer

Fastener Length: 18-64 MM
Capacity: 80 nails
Nail Shank: 2.5 MM
Weight: 2.55 Kg

\$425
PN: BT2564A1



Heavy Duty Coil Nailers

Nail Shank: 2.03-2.8 MM
Fastener Length: 32-65 MM
Capacity: 200-400 nails
Weight: 2.3 Kg

0° Driver Angle
PN: BC2865F1
15° Driver Angle
PN: BC2865D1

\$559 EA



90 MM Angle Framing Gun

- Easy to use Depth Adjuster
- Adjustable Joist Hanger
- Protective cover on safety
- Single & Bump Fire modes

Nail Shank: 2.9-3.3 MM
Fastener Length: 50-90 MM
Capacity: 90 nails
Weight: 3.50 Kg

\$469
PN: BA3490F1



SG420 Gravity Feed Air Brush



Nozzle: 0.3 mm
Working Pressure: 14-50 PSI
Fluid Capacity: 7 cc
Weight: 280 g

\$115

PN: SG420A

K818 Gravity Feed Spray Gun



\$229 EA

- Forged aluminum body and Stainless steel nozzle & needle
- Teflon seals & packing

Working Pressure: 30-45 PSI
Fluid Capacity: 600 cc
Weight: 280 g

1.3 mm Nozzle PN: K818M13
1.4 mm Nozzle PN: K818M14
1.8 mm Nozzle PN: K818M18
2.5 mm Nozzle PN: K818M25

KH818 HVLP Gravity Feed Spray Gun




\$249 EA

- Forged aluminum body and Stainless steel nozzle & needle
- HVLP nozzle delivers exceptional fluid atomization.
- Teflon seals & packing.
- Includes mini air regulator

Working Pressure: 20-28 PSI
Fluid Capacity: 600 cc
Weight: 514 g

1.3 mm Nozzle PN: KH818M13
1.4 mm Nozzle PN: KH818M14
1.8 mm Nozzle PN: KH818M18

K818 Suction Feed Spray Gun



\$229 EA

- Forged aluminum body and Stainless steel nozzle & needle
- Teflon seals & packing

Working Pressure: 30-45 PSI
Fluid Capacity: 1000 cc
Weight: 514 g

1.3 mm Nozzle PN: K818S13
1.8 mm Nozzle PN: K818S18
2.0 mm Nozzle PN: K818S20
2.5 mm Nozzle PN: K818S25

KH818 HVLP Suction Feed Spray Gun



\$249

PN: KH818S18

- Forged aluminum body & Stainless steel nozzle & needle
- HVLP nozzle delivers exceptional fluid atomization.
- Teflon seals & packing.
- Includes mini air regulator

Working Pressure: 20-28 PSI
Fluid Capacity: 1000 cc
Weight: 514 g
Nozzle: 1.8 mm S-Steel

K320 Mini Gravity Feed Spray Gun



Working Pressure: 30-45 PSI
Fluid Capacity: 125 cc
Weight: 280 g

0.8 mm Nozzle PN: K320M08
1.2 mm Nozzle PN: K320M12

\$159 EA

Pressure Feed Spray Gun Systems



2 Litre Pressure Feed Spray Gun System

- Features:
- 3 meter hose
 - Tank Pressure Regulator
 - Air release valve
 - Safety release valve
 - Tank handle/hanger

2 Litre Pressure Feed Tank
Tank dimensions:
130L mm x 130W mm x 445H mm
Capacity: 2 Litre
Max. pressure: 60 PSI
Weight total: 2.15 Kg

1.2 mm Nozzle PN: PW2LTRK12
1.5 mm Nozzle PN: PW2LTRK15
1.8 mm Nozzle PN: PW2LTRK18
2.0 mm Nozzle PN: PW2LTRK20
2.5 mm Nozzle PN: PW2LTRK25

\$439 EA

10 Litre Pressure Feed Spray Gun System

- Features:
- 3 meter hose
 - Tank Pressure Regulator
 - Air release valve
 - Safety release valve
 - Tank handle/hanger

10 Litre Pressure Feed Tank
Tank dimensions:
315L mm x 315W mm x 485H mm
Capacity: 10 Litre
Max. pressure: 60 PSI
Weight total: 10.1 Kg

1.2 mm Nozzle PN: PW10LTRK12
1.5 mm Nozzle PN: PW10LTRK15
1.8 mm Nozzle PN: PW10LTRK18
2.0 mm Nozzle PN: PW10LTRK20
2.5 mm Nozzle PN: PW10LTRK25

\$649 EA

20 Litre Pressure Feed Spray Tank System

- Features:
- 10 meter hose
 - Stainless Steel Liner
 - Tank Pressure Regulator
 - Air release valve
 - Safety release valve
 - Manual Agitation

K818 Pressure Feed 20 Litre Pressure Feed Tank
Tank dimensions:
400L mm x 400W mm x 780H mm
Capacity: 20 Litre
Max. pressure: 60 PSI
Weight total: 26 Kg

1.2 mm Nozzle PN: PW20LTRK12
1.5 mm Nozzle PN: PW20LTRK15
1.8 mm Nozzle PN: PW20LTRK18
2.0 mm Nozzle PN: PW20LTRK20
2.5 mm Nozzle PN: PW20LTRK25

\$1255 EA

SOCKET SETS

Made from Chrome Molybdenum Steel CR-MO.

Meet or exceed DIN & ANSI standards.

3/8" DRIVE

\$65 EA



3/8" 8 Piece Metric Socket Set
PN: GX838SSM

Sizes: 8, 10, 11, 12, 13, 15, 17 & 19 mm

3/8" 8 Piece Imperial Socket Set
PN: GX838SSI

Sizes: 5/16", 3/8", 7/16", 1/2", 9/16", 5/8", 11/16" & 3/4"

1/2" DRIVE

\$129 EA



1/2" 13 Piece Metric Socket Set
PN: GX1312SSM

Sizes: 10, 12, 13, 14, 15, 17, 18, 19, 21, 22, 24, 27 & 30 mm

1/2" 13 Piece Imperial Socket Set
PN: GX1312SSI

Sizes 7/16, 1/2, 9/16, 5/8, 11/16, 3/4, 13/16, 7/8, 15/16, 1, 1-1/16, 1-1/8 & 1-1/4"

1/2" DRIVE HEX BIT SETS

\$85 EA



Made from SNCM 8660 Steel which allows 20% more torque than CR-MO.

1/2" 8 Piece Metric Hex Bit
PN: GX12HBSM

Socket Length 60 mm
Sizes: H5, H6, H8, H10, H12, H14, H17 & H19 mm

1/2" 8 Piece Imperial Hex Bit
PN: GX12HBSSI

Socket Length 78 mm
Sizes: 1/4", 5/16", 3/8", 7/16", 1/2", 9/16", 5/8" & 3/4"

3/4" DRIVE

\$185 EA



3/4" 8 Piece Metric Socket Set
PN: GX834SSM

Sizes: 26, 27, 29, 30, 32, 35, 36 & 38 mm

3/4" 8 Piece Imperial Socket Set
PN: GX834SSI

Sizes 1, 1-1/16, 1-1/8, 1-1/4, 1-5/16, 1-3/8, 1-7/16 & 1-1/2"

1" DRIVE

\$339 EA



1" 9 Piece Metric Socket Set
PN: GX91SSM

Sizes 24, 27, 30, 32, 33, 36, 38, 41 and 46 mm

1" 9 Piece Imperial Socket Set
PN: GX91SSI

Sizes 1, 1-1/8, 1-1/4, 1-3/8, 1-1/2, 1-5/8, 1-3/4, 1-7/8 & 2"

1/2" Star Bit Impact Socket Set

\$95



PN: GX12TX3

Made from SNCM 8660 Steel which allows 20% more torque than CR-MO.

Socket Length: 60 mm
Sizes: T25, T27, T30, T40, T45, T50, T55 & T60 bits

SOCKET & EXTENSION BAR SETS

1/2" Sockets & Torque Extension Bar Set

- Teflon sleeved
- Chrome Molybdenum

Narrow Wall Impact Sockets sizes: 17, 19, 21 mm & 3/16"

Torque Bars sizes: 65, 80, 100 & 120 Ft/lbs



\$139

PN: GPA1636

1/2" Drive Thin Wall 3 Piece Impact Socket Set

- Teflon sleeved sockets for protecting alloy wheels surfaces from scuffing.
- Cast with Chrome molybdenum steel.

Sizes: 17, 19 & 21 mm



\$48

PN: GPA1634

IMPACT UNIV. JOINTS



Molybdenum Steel CR-MO.

3/8" Drive Universal Joint
Overall Length 50 mm

\$20

PN: GX38U

1/2" Drive Universal Joint
Overall Length 63 mm

\$23

PN: GX12U

3/4" Drive Universal Joint
Overall Length 90 mm

\$42

PN: GX34U

WOBBLE IMPACTING BAR SETS

Made from Chrome Molybdenum Steel CR-MO.



1/4" Wobble Extension Bar 5 Piece Set
Kit includes: 3", 6", 10" & 12" bars

\$45

PN: GXWEBS14

3/8" Wobble Extension Bar 4 Piece Set
Kit includes: 3", 6", 10" & 18" bars

\$65

PN: GXWEBS33

1/2" Wobble Extension Bar 4 Piece Set
Kit includes: 3", 5", 10" & 18" bars

\$75

PN: GXWEBS12

5 PIECE ADAPTER SETS



\$24

PN: GX5AS

5 Piece Std Adapter Set

- Chrome Vanadium

1/4" Female to 3/8" Male
1/2" Female to 3/8" Male
3/8" Female to 1/4" Male
1/2" Female to 3/4" Male
3/8" Female to 1/2" Male



\$35

PN: GX1A5

5 Piece Impact Adapter Set

- Chrome Vanadium

1/4" Female to 3/8" Male
1/2" Female to 3/8" Male
3/8" Female to 1/4" Male
1/2" Female to 3/4" Male
3/8" Female to 1/2" Male

Regulators

1/4" Regulator

Max Input Press.: 150 PSI
Output Press.: 7-142 PSI
Measuring Units: PSI, kg/cm²
Max Flow: 38.85 CFM

\$39

PN: THBR202

1/2" Regulator

Max Input Press.: 215 PSI
Output Press.: 7-150 PSI
Measuring Units: PSI, kg/cm²
Max Flow: 105.94 CFM

\$49

PN: THBR804

3/4" Regulator

Max Input Press.: 250 PSI
Output Press.: 7-225 PSI
Measuring Units: PSI, kg/cm²
Max Flow: 162.45 CFM

\$139

PN: THBR906

1" Regulator

Max Input Press.: 250 PSI
Output Press.: 7-225 PSI
Measuring Units: PSI, kg/cm²
Max Flow: 183.64 CFM

\$139

PN: THBR908



1/4" Mini Filter Regulator Lubricator

Max Input Press.: 150 PSI
Output Press.: 7-142 PSI
Units: PSI, kg/cm²
Max Flow: 38.85 CFM

**SUPER
COMPACT**
140W x 135H mm



\$63

PN: THBC202

Filter Regulator Lubricators

Max Input Press.: 215 PSI
Output Press.: 7-150 PSI
Measuring Units: PSI, kg/cm²
Oil Capacity: 125 mL
Filter Element: 5 µm

Port Size: 1/4" NPT
Max Flow: 61.8 CFM

PN: THBFLR802

Port Size: 3/8" NPT
Max Flow: 88.29 CFM

PN: THBFLR803

Port Size: 1/2" NPT
Max Flow: 105.94 CFM

PN: THBFLR804



\$96 EA

Lubricators

Max Input Press.: 215 PSI
Oil Capacity: 125 mL

Port Size: 1/4" NPT
Max Flow: 61.8 CFM

PN: THBL802

Port Size: 3/8" NPT
Max Flow: 88.29 CFM

PN: THBL803

Port Size: 1/2" NPT
Max Flow: 105.94 CFM

PN: THBL804



\$59 EA

1/2" Filter

Port Size: 1/2" NPT
Max Input Press.: 215 PSI
Max Flow: 105.94 CFM
Drain Capacity: 80 mL

1/2" Auto Drain Filter

Port Size: 1/2" NPT
Max Input Press.: 225 PSI
Drain Capacity: 27 mL

Hi-Flow Filter Regulators

Max Input Press.: 250 PSI
Output Press.: 7-142 PSI
Measuring Units: PSI, kg/cm²
Drain Capacity: 300 mL

Port Size: 3/4" NPT
Max Flow: 162 CFM

PN: THBFR926A

Port Size: 1" NPT
Max Flow: 183 CFM

PN: THBFR928A

**AUTO-DRAIN
FUNCTION**



\$48

PN: THBF804



\$74

PN: THBD704A



\$239 EA

Hi-Flow Lubricators

Max Input Press.: 250 PSI
Oil Capacity: 300 mL

Port Size: 3/4" NPT
Max Flow: 162 CFM

PN: THBL906

Port Size: 1" NPT
Max Flow: 183 CFM

PN: THBL908



\$169 EA

Premium Compressor Oil

- Specially formulated additives give superior protection against wear and corrosion
- Excellent water & air separation, to ensure reliable operation with minimal foaming and emulsification



\$24

PN: COMPOIL1

IN-LINE COMPONENTS & MANIFOLDS

1/4" In-line Water Separator

Max Press.: 90 PSI
1/4" NPT Female
to Male



\$27

PN: GPA1512

1/4" In-line Lubricator

1/4" NPT Female to Male
Capacity: 15 mL



\$24

PN: GPA1025

2 Way Cluster Quick Coupler

\$27

PN: GPA1513

3 Way Cluster Quick Coupler

\$32

PN: GPA1514



2 Way In-line Quick Coupler

\$27

PN: GPA1515

3 Way In-line Quick Coupler

\$32

PN: GPA1516

4 Way In-line Quick Coupler

\$35

PN: GPA1517



Ezi-Shear

METAL CUTTING SHEARS

Fits metal gearbox hand-drills with a 43 mm dia. shank and 3/8" x 24 TPI or 1/2" x 20 TPI drive shaft.

CUTS CORRUGATED IRON LIKE A HOT KNIFE THROUGH BUTTER!

Max. Speed: 2400 RPM
Cutting Capacity:
Stainless Steel: 1.2 MM
Mild Steel: 1.6 MM
Aluminium: 2.2 MM
3/8"x20 TPI Female
PN: EZIS038
1/2"x20 TPI Female
PN: EZIS012



\$199 EA

20 Metre Manual Hose Reel

- High quality Polyurethane braided hose
 - Space Saving Foldable Handle
 - 360 degree swivel base
 - Includes wall hanging bracket
- Hose Size: 20 Metre x 11 MM ID



\$239
PN: GPHR1220

BASSO Velcro Pads

6" Velcro Pad

Thread: 5/16" UNC Male
Max Speed: 12,000 RPM

\$36
PN: F6505



6" Dust Free Velcro Pad

Thread: 5/16" UNC Male
Max Speed: 12,000 RPM

\$39
PN: F6565



geiger

Fitted Air Hoses

Fitted with Japanese compatible One Touch couplings.



Made in Australia

20 Metre Fitted Air Hose

Hose Size: 10 MM ID

\$59
PN: AH1020F

30 Metre Fitted Air Hose

Hose Size: 10 MM ID

\$79
PN: AH1030F

20 Metre Fitted Air Hose

Hose Size: 12 MM ID

\$89
PN: AH1220F

30 Metre Fitted Air Hose

Hose Size: 12 MM ID

\$120
PN: AH1230F

Premium Air Tool

- Add only a couple of drops daily to prolong the performance of any air operated tool
- Formulated to greatly reduce internal wear and maintain the integrity of the gaskets and seals



Premium Air Tool 250 ML

\$9.50
PN: SI250

Premium Air Tool 1 Litre

\$18
PN: SI1000



Premium Air Tool 5 Litre

\$74
PN: SI5000



geiger

Recoil Air Hoses



5 Metre / 10 MM Recoil Air Hose

6.5 MM ID x 10 MM OD

\$52
PN: GPH1006LBHL

6 Metre / 10 MM Recoil Air Hose

6.5 MM ID x 10 MM OD

\$58
PN: GPH1008LBHL

5 Metre / 12 MM Recoil Air Hose

8 MM ID x 12 MM OD

\$58
PN: GPH1206LBHL

6 Metre / 12 MM Recoil Air Hose

8 MM ID x 12 MM OD

\$69
PN: GPH1208LBHL

flexipads

Nylon Backing Pads



5" Nylon Backing Pad

Thread: M14 x 2 MM Female

\$22
PN: FP20210

7" Nylon Backing Pad

Thread: M14 x 2 MM Female

\$26
PN: FP20310

4" Nylon Backing Pad

Thread: M10 x 1.5 MM Female

\$21
PN: FP20020

Sheep Skin Polishing Bonnets

100% Merino sheep skin wool pile with tie cord.
Max. speed: 2,500 RPM
Thickness: 32 MM



5" Merino Wool Sheep Skin Polishing Bonnet.

\$27
PN: FP40005

7" Merino Wool Sheep Skin Polishing Bonnet.

\$33
PN: FP40015

9" Merino Wool Sheep Skin Polishing Bonnet.

\$40
PN: FP40025

Velcro Backing Pads

6" Dust Free Velcro Multi-Fit Pad

Thread Size: M8 & 5/16" UNF
Pad Thickness: 14 MM
Max Speed: 12,000 RPM

\$64
PN: FP17099

Suits Festool & Makita Sanders!



150 MM Velcro Inter. Threaded Pad

• Medium Pad Density Pad Thickness: 12 MM
M14 x 2 Int. Thread
Max Speed: 10,200 RPM

\$49
PN: FP36155

180 MM Velcro Inter. Threaded Pad

• Medium Pad Density Pad Thickness: 12 MM
M14 x 2 Int. Thread
Max Speed: 8,500 RPM

\$59
PN: FP36170

Quick-Lock Preparation Kits

2" Quick-Lock Preparation Kit

7 Piece kit includes 1 of each:
1/4" shank, 2" backing pad, 24 grit 2" disc,
36 grit 2" disc, 50 grit 2" disc, Brown (Coarse)
surface prep 2" disc & Maroon (Medium)
surface prep 2" disc.



\$29
PN: GPK2

Abrasive & Sanding Pads made in USA.

3" Quick-Lock Preparation Kit

7 Piece kit includes 1 of each: 1/4" shank, 3" backing pad,
24 grit 3" disc, 36 grit 3" disc, 50 grit 3" disc,
Brown (Coarse) surface prep 3" disc &
Maroon (Medium) surface prep 3" disc.



\$39
PN: GPK3

Abrasive & Sanding Pads made in USA.

8 Piece Flap Wheel Kit

Kit includes:


25 mm x 12 mm, 120 Grit, x 1
25 mm x 25 mm, 40 Grit, x 1
25 mm x 25 mm, 80 Grit, x 1
40 mm x 25 mm, 60 Grit, x 1

40 mm x 25 mm, 80 Grit, x 1
50 mm x 25 mm, 80 Grit, x 1
50 mm x 25 mm, 60 Grit, x 2



\$52
PN: GFWK

Zirconia Sanding Belts



10 MM Sanding Belts

Size: 10 mm x 330 mm

40 Grit PC: SIP10MMXP40

60 Grit PC: SIP10MMXP60

80 Grit PC: SIP10MMXP80

100 Grit PC: SIP10MMXP100

120 Grit PC: SIP10MMXP120

\$28 EA

20 MM Sanding Belts

Size: 20 mm x 520 mm

40 Grit PC: SIP20MMXP40

60 Grit PC: SIP20MMXP60

80 Grit PC: SIP20MMXP80

100 Grit PC: SIP20MMXP100

120 Grit PC: SIP20MMXP120

\$39 EA

Quick-Lock Polishing Pads



50 mm Quick-Lock
Felt Polishing Pad

\$9.50
PN: GPA1525



75 mm Quick-Lock
Felt Polishing Pad

\$14
PN: GPA1575

Polishing Mops

1/4" Shank
Tapered Spindle

Fits 50 mm Calico
Polishing Mops
(PN: PMC50).



\$39
PN: TS12

50 mm Calico Polish Mop

For use with Taper
Spindle (PN: TS12).
Width: 20 mm



\$29
PN: PMC50

Velcro Backing Pads

50 mm Velcro
Backing Pad
Shank Size: 1/4"



\$30
PN: GPA50

75 mm Velcro
Backing Pad
Shank Size: 1/4"



\$38
PN: GPA75

Velcro Polishing Pads

60 mm Polishing Pad
Suits 50 mm Velcro
Backing Pad



\$12
PN: OWB-60

80 mm Polishing Pad
Suits 75 mm Velcro
Backing Pad



\$23
PN: 119-102



Quick-Lock Backing Pads

Attach abrasive pads to tool. Includes 1/4" shank adapter.

50 MM Quick-Lock
Backing Pad



\$18
PN: GPA1523K

75 MM Quick-Lock
Backing Pad



\$22
PN: GPA1524K

Quick-lock Abrasive Pads (Packs of 10)



50 MM

\$30 EA

75 MM

\$54 EA

Blue 50 MM Fine

PN: GPA1527X10

Maroon 50 MM Medium

PN: GPA1528X10

Brown 50 MM Coarse

PN: GPA1526X10

Blue 75 MM Fine

PN: GPA1530X10

Maroon 75 MM Medium

PN: GPA1531X10

Brown 75 MM Coarse

PN: GPA1529X10

Quick-Lock Zirconia Sanding Discs



50 mm Quick-Lock Zirconia
Sanding Discs (Packs of 5)

36 Grit PN: AB22012S36

60 Grit PN: AB22012S60

80 Grit PN: AB22012S80

120 Grit PN: AB22012S120

\$13 EA

75 mm Quick-Lock Zirconia
Sanding Discs (Packs of 5)

36 Grit PN: AB22013S36

60 Grit PN: AB22013S60

80 Grit PN: AB22013S80

120 Grit PN: AB22013S120

\$20 EA

Quick-Lock Zirconia Mini Flap Discs



50 mm Quick-Lock Zirconia
Mini Flap Discs (Packs of 5)

40 Grit PN: AB22012F40

60 Grit PN: AB22012F60

80 Grit PN: AB22012F80

120 Grit PN: AB22012F120

\$26 EA

75 mm Quick-Lock Zirconia
Mini Flap Discs (Packs of 5)

40 Grit PN: AB22013F40

60 Grit PN: AB22013F60

80 Grit PN: AB22013F80

120 Grit PN: AB22013F120

\$36 EA

WORKSHOP CATALOGUE

Valid 1st July to 30th November 2019.
All prices quoted include GST.

Distributed by:

Air-Hydraulic Riveters

3/16" Air-Hydraulic Rivet Gun

Rivet Capacity: 3/32, 1/8, 5/32, 3/16"
Traction Power: 1950 lbs
Weight: 1.5 Kg



\$255

PN: GP1121D

9/32" Air-Hydraulic Riveter

- Interchangeable nose-pieces
- Safety cap collects spent rivets
- Swivel inlet for easier positioning

Rivet Capacity: 3/16", 1/4", 5/32" & 9/32"
Traction Power: 3,120 Ft/lbs
Weight: 3.4 Kg



SUITABLE FOR
STAINLESS RIVETS!

\$669

PN: GP6304

geiger™

Metal Working Bench Vices

- Integrated anvil & pipe jaws
- Lockable 360° Swivel base

150 MM Bench Vice

Jaw face: 155 x 85 mm
Jaw opening: 150 mm
Weight: 14 Kg

200 MM Bench Vice

Jaw face: 205 x 85 mm
Jaw opening: 200 mm
Weight: 18 Kg

\$299

PN: GBV6

\$399

PN: GBV8



geiger™

360 Degree Swivel base with Twin locks

HEAVY DUTY
CAST STEEL!

Filter Regulators

1/4" Mini Filter Regulator

Max Input Press.: 280 PSI
Output Press.: 7-142 PSI
Units: PSI, kg/cm²
Max Flow: 38.85 CFM



\$63

PN: THBFR212

Filter Regulators

Max Input Press.: 215 PSI
Output Press.: 7-150 PSI
Measuring Units: PSI, kg/cm²
Drain Capacity: 80 mL
Filter Element: 5 µm

Port Size: 1/4" NPT
Max Flow: 61.8 CFM

PN: THBFR802

Port Size: 3/8" NPT
Max Flow: 88.29 CFM

PN: THBFR803

Port Size: 1/2" NPT
Max Flow: 105.94 CFM

PN: THBFR804

\$59 EA

PN: THBFR804

geiger™

See full range on page 17.

JETON Nozzle Kits

Ideal for use with petroleum solvents or lubricants, detergents or brake fluids.

1/4" Assorted Nozzle Kit

Includes 300 mm of 1/4" hose segments, 1/16", 1/8", 1/4" Nozzles, 1/4" & 1/8" Male threaded PT Connectors

\$32

PN: CS82020

1/2" Assorted Nozzle Kit

Includes 300 mm of 1/2" hose segments, 1/4", 3/8" & 1/2" Nozzles, 3/8" & 1/2" Male threaded PT Connectors

\$45

PN: CS84040

Other kits available.



Twin LED Rechargeable Inspection Lamp

Ideal for automotive panel & paint inspection or any confined automotive or industrial work environments.


- Precision adjustable dimmer switch
- Multistage battery indicator light
- Magnetic ball jointed adjustable base
- Dual retractable lamp hangers
- USB rechargeable li-ion battery
- Magnetic retrieval wand at tip
- IP54 dust & water resistant

\$149

PN: GLED2CIL

SUPER BRIGHT
880
LUMENS!

geiger™



Ergonomic Deburring Tool & Blade Set

Quick Release Handle with 10 assorted 3.2 mm blades. Storage for blades in handle.

Set Includes: 3.2 mm Standard Quick Release Handle (GDSDDMK)

Standard 3.2 mm Deburring blades:
2 x GDSC10, 2 x GDSC101, 2 x GDSC15,
2 x GDSC20, 1 x GDSC30, 1 x GDSC35

\$39

PN: GD88040

geiger™

See more on page 4.



Heavy Duty Angle Grinders

4" Heavy Duty Angle Grinder

Spindle Size: M10 x 1.5
Free Speed: 11,000 RPM
Weight: 1.95 Kg

\$275

PN: GP8102

5" Heavy Duty Angle Grinder

Spindle Size: M14 x 2.0
Free Speed: 11,000 RPM
Weight: 1.95 Kg

\$299

PN: GP81003

