



SHINANO

QUALITY JAPANESE AIR TOOLS

JULY - NOVEMBER 2019

Prices include GST.

70th ANNIVERSARY

Celebrating 70 Years of Quality & Innovation.

**Special edition
70th ANNIVERSARY SI1490
1/2" Impact Wrench**

- Includes 70th ANNIVERSARY Edition Mechanics Gloves
- Responsive 8 vane motor
- Forward/Reverse selector & separate 4 position speed selector
- Feather touch trigger
- Twin Hammer

Max Torque: 627 Ft/lbs
Free Speed: 8,000 RPM
Bolt Cap: 20 MM
Weight: 1.9 Kg

3/8" Impact Wrench

- Feather touch trigger
- Twin Hammer

Max Torque: 258 Ft/lbs
Bolt Cap: 16 MM
Weight: 1.03 Kg
Length: 148 MM

1/2" Compact Impact Wrench

- Responsive 8 vane motor
- Max Torque: 626 Ft/lbs
Free Speed: 8,500 RPM
Weight: 1.57 Kg
Length: 175 MM



Includes 70th ANNIVERSARY edition Mechanics Gloves!

3/8" Butterfly Wrench

- 360° swivel inlet for easy maneuverability

Max Torque: 66 Ft/lbs
Bolt Cap: 10 MM
Weight: 0.94 Kg
Length: 158 MM



DIE GRINDERS



1/4" Angle Head Die Grinder

Free Speed: 20,000 RPM
Length: 157 MM
Weight: 0.49 Kg

1/4" Medium Die Grinder

Free Speed: 25,000 RPM
Length: 170 MM
Weight: 0.60 Kg



1/4" Extended Die Grinder

Free Speed: 24,000 RPM
Length: 326 MM
Weight: 1.34 Kg



1/4" Small Die Grinder

Free Speed: 27,000 RPM
Length: 151 MM
Weight: 0.37 Kg



1/4" Medium Die Grinder

Free Speed: 25,000 RPM
Length: 170 MM
Weight: 0.37 Kg



SANDERS

Mini Pistol Grip Dual Action Sander

- Velcro Pad
- 2 Speed

Free Speed: 15,000 RPM
Pad Size: 75 MM
Orbit Dia.: 3 MM
Weight: 0.52 Kg



4" High Speed Disc Sander

Length: 167 MM
Free Speed: 19,000 RPM
Weight: 0.99 Kg

Includes 3 & 4" Discs

PC: SI12210
\$185

3" Mini Orbital Sander

Free Speed: 12,000 RPM
Orbit Dia.: 3 MM
Weight: 0.54 Kg



ULTRA COMPACT

Wet Sander

Spindle: M14
Length: 230 MM
Free Speed: 5,500 RPM
Weight: 1.32 Kg

- Wet sander designed for stone sanding and polishing with water
- Waterproofed mechanism ensures a long working life

5" Angle Head Disc Sander

Spindle: 5/8 x 11 UNC
Length: 285 MM
Free Speed: 5,500 RPM
Weight: 1.50 Kg



7" Heavy Duty Angle Sander

Spindle: 5/8 x 11 UNC
Length: 358 MM
Free Speed: 4,500 RPM
Weight: 2.13 Kg



2" Disc Sander Kit

Free Speed: 17,000 RPM
Length: 144 MM
Weight: 0.50 Kg

PC: SI2201

\$210

Includes 2 Abrasive Discs



6" Dual Action Sander

- Velcro Pad

Free Speed: 10,000 RPM
Orbit Dia.: 7 MM
Weight: 1.82 Kg

PC: SI13100

\$255

6" Dual Action Sander

- Velcro Pad
- Free Speed: 10,000 RPM
Orbit Dia.: 5 MM
Weight: 0.94 Kg



PC: SI3101-6
\$459

PC: SI3102
\$369

PC: SI2322WRLE
\$719



PC: SI2026S
\$435

PC: SI2351
\$435

PC: SI2022S
\$390

12 MONTH FACTORY WARRANTY

CUTTING TOOLS

Multifunction Mini Air Saw

• Includes in-line air regulator for quick speed adjustments
Stroke Length: 10 mm
Free Speed: 10,500 RPM
Length: 148 mm
Weight: 0.52 kg



IO mm Stroke
PC: SI4740
\$369

Quality Bi-metal Blades

18 TPI of 5 Pack

PC: PT301A18

24 TPI of 5 Pack

PC: PT301A24

32 TPI of 5 Pack

PC: PT301A32



\$25 EA

Air Nibbler

Free Speed: 2,600 SPM
Length: 175 mm
Weight: 1.00 kg



PC: SI4600
\$375

Oscillation Sealant Cutter & Sander

• Includes 75 mm pad & standard 9 mm blade.
Length: 182 mm
Free Speed: 21,000 OPM
Weight: 0.65 kg



PC: SI3200A
\$365

Body Saw

Stroke Length: 5 mm
Free Speed: 10,000 RPM
Length: 259 mm
Weight: 0.58 kg



PC: SI4700B
\$329



3" Cut Off Grinder

Length: 196 mm
Free Speed: 20,000 RPM
Weight: 1.00 kg

PC: SI2033
\$210

3" Cut Off Discs Pack of 5

New discs only 0.8 mm thick.
Cuts quicker and cleaner saving you time and money.
Speed rated to 25,000 RPM
Ø75 x 0.8 x Ø9.53 mm

PC: G0007K
\$19

Laminate Trimmer

Free Speed: 22,000 RPM
Collet size: 1/4"
Length: 177 mm
Weight: 0.91 kg



PC: SI2018A
\$329

BELT SANDERS

10 mm Belt Sander

• 160° adjustable sanding arm
• Includes 6, 10 mm sanding belts
• Includes in-line air regulator for quick speed adjustments
Belt Size: 330 x 10 or 12 mm
Free Speed: 15,000 RPM
Weight: 0.73 kg

SWIVEL INLET WITH AIR REGULATOR



PC: SI2740
\$380

LIGHT WEIGHT COMPOSITE CONSTRUCTION



PC: SI2800
\$515

20 mm Belt Sander

Belt Size: 520 x 20 mm
Free Speed: 15,000 RPM
Weight: 1.43 kg



PC: SI2830
\$719

30 mm Belt Sander

Belt Size: 540 x 30 mm
Free Speed: 10,000 RPM
Weight: 2.02 kg



\$28 EA

10 mm Sanding Belts

40 Grit 10 mm x 330 mm Pkt 10

PC: SIP10MMXP40

60 Grit 10 mm x 330 mm Pkt 10

PC: SIP10MMXP60

20 mm Sanding Belts

40 Grit 20 mm x 520 mm Pkt 10

PC: SIP20MMXP40

60 Grit 20 mm x 520 mm Pkt 10

PC: SIP20MMXP60



\$39 EA

30 mm sanding belts also available.

80 Grit 10 mm x 330 mm Pkt 10

PC: SIP10MMXP80

100 Grit 10 mm x 330 mm Pkt 10

PC: SIP10MMXP100

120 Grit 10 mm x 330 mm Pkt 10

PC: SIP10MMXP120

80 Grit 20 mm x 520 mm Pkt 10

PC: SIP20MMXP80

100 Grit 20 mm x 520 mm Pkt 10

PC: SIP20MMXP100

120 Grit 20 mm x 520 mm Pkt 10

PC: SIP20MMXP120

POLISHERS

70 mm Pistol Grip Polisher

Kit includes: Wool Buff, sponge Buff, Velcro Pad & 3 Sanding Pads
Pad Size: 75 mm
Free Speed: 4,500 RPM
Length: 147 mm
Weight: 0.64 kg

PC: SI2221
\$345



7" Heavy Duty Angle Polisher

Spindle: 5/8 x 11 UNC
Length: 358 mm
Free Speed: 2,300 RPM
Weight: 2.13 kg

PC: SI2451
\$435



SCREWDRIVERS

All screwdrivers feature forward & reverse.

1/4" Pistol Impact Driver

Free Speed: 11,000 RPM
Max Torque: 48 Ft/lbs
Length: 164 mm
Weight: 0.98 kg

PC: SI1065
\$410



1/4" Screwdriver

Free Speed: 700 RPM
Max Torque: 14.8 Ft/lbs
Length: 176 mm
Weight: 0.85 kg

PC: SI1170
\$380



1/4" Screwdriver

• Adjustable clutch

PC: SI1166A
\$445



Length: 207 mm
Bolt Cap: 1/4"
Max Torque: 3.70 Ft/lbs
Free Speed: 2,000 RPM
Weight: 1.18 kg

1/4" Screwdriver

Adjustable clutch

PC: SI1166-8A
\$519



Length: 229 mm
Bolt Cap: 5/16"
Max Torque: 6.60 Ft/lbs
Free Speed: 800 RPM
Weight: 1.35 kg

1/4" Straight Screwdriver

• Adjustable clutch

Length: 247 mm
Bolt Cap: 1/4"
Max Torque: 3.70 Ft/lbs
Free Speed: 1,600 RPM
Weight: 1.12 kg

PC: SI1161
\$410



1/4" Pistol Impact Driver

Free Speed: 8,000 RPM
Max Torque: 52 Ft/lbs
Length: 193 mm
Weight: 0.98 kg

PC: SI1365D
\$510



HAMMERING TOOLS

10.2 mm Pistol Grip Air Hammer

Length: 208 mm
Impact Rate: 2,600 BPM
Weight: 1.60 kg

PC: SI4120A
\$225



Spring Retainer

Suits most hammers.

PC: GPA70
\$7.50

60 mm Paint Scraper Chisel

Shank Dia.: 10 mm / 0.401"

PC: SI823
\$57

20 mm Flat Chisel

Shank Dia.: 10 mm / 0.401"

PC: SI810
\$30



NEEDLE SCALERS

Straight Grip Needle Scaler

Stroke: 4.5 mm
Impact Rate: 3,500 BPM
Length: 333 mm
Weight: 2.06 kg

PC: SI4150EX
\$515



Pistol Grip Needle Scaler

Stroke: 4.5 mm
Impact Rate: 3,300 BPM
Length: 355 mm
Weight: 2.19 kg

PC: SI4160
\$545



Spare Needle Set pc. 820-11SET \$35

RATCHET WRENCHES



1/4" Super Mini Ratchet

Max Torque: 22 Ft/lbs
Length: 125 mm
Weight: 0.39 Kg

Pc: SI1107B

\$235



1/4" Mini Ratchet Wrench

Max Torque: 26 Ft/lbs
Length: 168 mm
Weight: 0.85 Kg

Pc: SI1200B

\$229

3/8" Super Mini Ratchet

Length: 125 mm
Max Torque: 22 Ft/lbs
Weight: 0.40 Kg

Pc: SI1108B

\$235

3/8" Mini Ratchet Wrench

Max Torque: 30 Ft/lbs
Length: 168 mm
Weight: 0.85 Kg

Pc: SI1205B

\$229



1/4" Mini Ratchet Wrench

Length: 168 mm
Max Torque: 31 Ft/lbs
Weight: 0.54 Kg

Pc: SI1217EX

\$239



3/8" Ratchet Wrench

Length: 265 mm
Max Torque: 59 Ft/lbs
Weight: 1.16 Kg

Pc: SI1320A

\$190

3/8" Mini Ratchet Wrench

Length: 168 mm
Max Torque: 35 Ft/lbs
Weight: 0.54 Kg

Pc: SI1218EX

\$239

1/2" Ratchet Wrench

Length: 265 mm
Max Torque: 66 Ft/lbs
Weight: 1.17 Kg

Pc: SI1325A

\$190

1/2" Ratchet Wrench

Length: 263 mm
Max Torque: 85 Ft/lbs
Weight: 1.15 Kg



1/2" Heavy Duty Ratchet

Length: 368 mm
Max Torque: 118 Ft/lbs
Weight: 1.95 Kg

Pc: SI1345BEX

\$245



3/8" Through Ratchet with 6 Sockets

Includes 8mm, 10mm, 11mm, 12mm, 13mm & 14mm sockets, 3/8" square drive

Max Torque: 33 Ft/lbs
Length: 211 mm
Weight: 0.54 Kg

**IDEAL FOR
HARD TO ACCESS
NUTS & BOLTS**



Pc: SI1435

\$445

Pc: SI1288S

\$479

ANGLE GRINDERS

4" Angle Grinder

Spindle Size: M10 x 1.5
Length: 191 mm
Free Speed: 13,000 RPM
Weight: 1.04 Kg

Pc: SI2501L

\$479



5" Angle Grinder

Spindle Size: M14 x 2
Length: 230 mm
Free Speed: 12,000 RPM
Weight: 1.65 Kg

Pc: SI2515LA

\$485



4" Angle Grinder

Spindle Size: M10 x 1.5
Length: 223 mm
Free Speed: 12,700 RPM
Weight: 1.82 Kg

Pc: SI2500L

\$455



7" Angle Grinder

Length: 337 mm
Free Speed: 7,500 RPM
Weight: 3.24 Kg

Pc: SI2600L

\$669



IMPACT WRENCHES

1/2" Impact Wrench

Max Torque: 627 Ft/lbs
Weight: 1.9 Kg
Length: 175 mm

- Made from Chrome Molybdenum Steel.
- Meet or exceed DIN & ANSI standards
- Deep Impact Sockets included in blow mould case.



\$479 EA

1/2" Impact Wrench (SI1490B)

Pc: SI1490KM

13 Piece set includes sizes: 10, 12, 13, 14, 15, 17, 18, 19, 21, 22, 24, 27 & 30 mm

1/2" Impact Wrench (SI1490B)

Pc: SI1490KI

13 Piece set includes sizes: 7/16", 1/2", 9/16", 5/8", 11/16", 3/4", 13/16", 7/8", 15/16", 1", 1-1/16", 1-1/8" & 1-1/4"

3/4" Impact Wrench

Max Torque: 1,217 Ft/lbs
Weight: 3.25 Kg
Length: 218 mm

- Made from Chrome Molybdenum Steel.
- Meet or exceed DIN & ANSI standards
- Deep Impact Sockets included in blow mould case.



\$925 EA

3/4" Impact Wrench (SI1550)

Pc: SI1550KM

8 Piece Metric 3/4" Socket Set includes sizes: 26, 27, 29, 30, 32, 35, 36 & 38 mm

3/4" Impact Wrench (SI1550)

Pc: SI1550KI

8 Piece Imperial 3/4" Socket Set includes sizes: 1", 1-1/16", 1-1/8", 1-1/4", 1-5/16", 1-3/8", 1-7/16" & 1-1/2"

3/4" Impact Wrench

Max Torque: 1,217 Ft/lbs
Bolt Cap: 24 mm
Weight: 3.25 Kg
Length: 218 mm



Pc: SI1550

\$825

Also available with 6" anvil (SI1556). Call for pricing.

1" H-Duty Impact Wrench

Max Torque: 1,840 Ft/lbs
Bolt Cap: 41 mm
Weight: 10.9 Kg
Length: 285 mm



3 Handle Positions

Pc: SI1860

\$1,300

Also available with 6" anvil (SI1866) or 8" anvil (SI1868). Call for pricing.

1" H-Duty D-Handle Impact Wrench

Max Torque: 1,770 Ft/lbs
Bolt Cap: 41 mm
Weight: 10.6 Kg
Length: 350 mm



Also available with 6" anvil (SI1876) or 8" anvil (SI1878). Call for pricing.

Pc: SI1870

\$1,300

1" H-Duty D-Handle Impact Wrench

Max Torque: 2,430 Ft/lbs
Bolt Cap: 38 mm
Weight: 15.4 Kg
Length: 420 mm



Pc: SI1880

\$1,650

2,430 Ft/lbs

1-1/2" H-Duty D-Handle Impact Wrench

Max Torque: 4,060 Ft/lbs
Bolt Cap: 55 mm
Weight: 18 Kg
Length: 510 mm



Pc: SI1900

\$2,485

4,060 Ft/lbs



70th
ANNIVERSARY

Distributed by:

DRILLS

3/8" Heavy Duty Drill

- Non-reversible

Chuck Size: 10 mm
Length: 133 mm
Free Speed: 2,000 RPM
Weight: 0.91 Kg

PC: SI5300A

\$289

3/8" Straight Drill

Chuck Size: 10 mm
Length: 231 mm
Free Speed: 6,000 RPM
Weight: 1.06 Kg

PC: SI2015AD

\$329

3/8" Compact Drill

- Non-reversible

Chuck Size: 10 mm
Length: 130 mm
Free Speed: 2,600 RPM
Weight: 0.79 Kg

PC: SI5500

\$210

3/8" Angle Drill Reversible

Chuck Size: 10 mm
Length: 202 mm
Free Speed: 1,200 RPM
Weight: 0.94 Kg

PC: SI5355

\$380

3/8" H-Duty Reversible Drill

Chuck Size: 10 mm
Length: 132 mm
Free Speed: 2,000 RPM
Weight: 1.02 Kg

PC: SI5305A

\$335

1/2 Capacity Reversible Keyed Drill

Chuck Size: 13 mm
Length: 155 mm
Free Speed: 800 RPM
Weight: 1.45 Kg

PC: SI5305-8A

\$445

3/8" Keyless Reversible Drill

Chuck Size: 10 mm
Length: 210 mm
Free Speed: 1,500 RPM
Weight: 1.08 Kg

PC: SI5405

\$339

1/2" Keyless Reversible Drill

Chuck Size: 13 mm
Length: 235 mm
Free Speed: 600 RPM
Weight: 1.41 Kg

PC: SI5405-6

\$455

AIR TOOL OIL

- Add only a couple of drops daily to prolong the performance of any air operated tool
- Formulated to greatly reduce internal wear and maintain the integrity of the gaskets and seals

250 ml
Air Tool Oil

PC: SI250

\$9.50

1 Litre
Air Tool Oil

PC: SI1000

\$18

5 Litre
Air Tool Oil

PC: SI5000

\$74



SHINANO INDUSTRIAL TOOLS

Specifically designed for reliable operation and long service life in the harshest working environments.



2" Industrial Angle Grinder

Free Speed: 15,000 RPM
Output: 240 Watts
Spindle Size: 1/4"-28 UNF
Length: 170 mm
Weight: 0.64 Kg

PC: SI-AG2-U2P

\$449

4" Industrial Angle Grinder

Free Speed: 13,500 RPM
Output: 600 Watts
Spindle Size: M8-1.25 mm
Length: 276 mm
Weight: 1.89 Kg

PC: SI-AG4-A2L

\$565

5" Industrial Angle Grinder

Free Speed: 12,000 RPM
Output: 800 Watts
Spindle Size: M14-2.0 mm
Length: 285 mm
Weight: 2.08 Kg

PC: SI-AG5-E3L

\$729

Industrial Angle Die Grinder

Free Speed: 15,000 RPM
Output: 240 Watts
Length: 170 mm
Collet Size: 1/4"
Weight: 0.64 Kg



- Spindle lock button for easy burr replacement

PC: SI-AG2-C2P

\$485

Industrial Extended Die Grinder

Free Speed: 25,000 RPM
Output: 650 Watts
Length: 322 mm
Collet Size: 1/4"
Weight: 1.19 Kg



- Superior High Spec Collet
- Super quiet 650 Watt motor (80.5 DBA)

PC: SI-SG60E-6LL

\$469

Industrial 6" Dual Action Sander

Free Speed: 11,200 RPM
Pad/Disc Size: 150 mm (6")
Spindle Size: 5/16-24 UNF
Orbit Dia: 6 mm



- Powerful 485 Watt motor with adjustable power setting.
- Handle exhaust

PC: SI-DS6-6L

\$499

Industrial 10mm Angle Head Drill

Free Speed: 1,000 RPM
Head Height: 58 mm
Chuck Size: 10 mm
Length: 251 mm
Weight: 1.23 Kg



- Powerful 228 Watt motor.
- Push-button forward & reverse

PC: SI-5365

\$410